



Developer's API for eCommerce

Version 2017.1.6
Table of Contents

[API Documents: Products/Categories](#)

- [Category Add Request](#)
- [Category Add Response](#)
- [Category Edit Request](#)
- [Category Edit Response](#)
- [Product Add Request](#)
- [Product Add Response](#)
- [Product List Request](#)
- [Product List Response](#)
- [Product List Sample PHP Script](#)
- [Product Edit Request](#)
- [Product Edit Response](#)
- [Product Delete Request](#)
- [Product Delete Response](#)

[API Documents: Orders](#)

- [Order Add Request](#)
- [Order Add Response](#)
- [Order Edit Request](#)
- [Order Edit Response](#)
- [Order List Request](#)
- [Order List Response](#)
- [Order Delete Request](#)
- [Order Delete Response](#)

[API Documents: Customers](#)

- [Customer Add Request](#)
- [Customer Add Response](#)
- [Customer Edit Request](#)
- [Customer Edit Response](#)
- [Customer List Request](#)

[Customer List Response](#)
[Customer Delete Request](#)
[Customer Delete Response](#)

For Questions: Please Contact Matt DeLong, CTO, CoreCommerce.
Matt.DeLong@corecommerce.com | 615-300-3977

API Documents: Products/Categories

Category Add Request

```
<Request version="1.0">
  <Authentication>
    <Username><![CDATA[admin]]></Username>
    <Password><![CDATA[Password1!]]></Password>
    <StoreName><![CDATA[sumeffectsof224]]></StoreName>
    <XMLKey><![CDATA[123]]></XMLKey>
  </Authentication>
  <Action>ACTION_TYPE_CATEGORY_ADD</Action>
  <List length="1">
    <Category>
      <Languages length="2">
        <LanguageData charset="ISO-8859-1" id="1">
          <Name><![CDATA[Samsung Galaxy]]></Name>
          <Teaser><![CDATA[Teaser]]></Teaser>
          <Description><![CDATA[Description]]></Description>
          <MetaTitle><![CDATA[Meta Title]]></MetaTitle>
          <MetaDescription><![CDATA[Meta Description]]></MetaDescription>
          <MetaKeywords><![CDATA[Meta Keywords]]></MetaKeywords>
          <Slug><![CDATA[custom_slug_greek]]></Slug>
          <BottomText><![CDATA[custom_slug]]></BottomText>
        </LanguageData>
        <LanguageData charset="UTF-8" id="2">
          <Name><![CDATA[Samsung Galaxy]]></Name>
          <Teaser><![CDATA[Teaser]]></Teaser>
          <Description><![CDATA[Description]]></Description>
          <MetaTitle><![CDATA[Meta Title]]></MetaTitle>
          <MetaDescription><![CDATA[Meta Description]]></MetaDescription>
          <MetaKeywords><![CDATA[Meta Keywords]]></MetaKeywords>
          <Slug><![CDATA[custom_slug_greek]]></Slug>
          <BottomText><![CDATA[custom_slug]]></BottomText>
        </LanguageData>
      </Languages>
    </Category>
  </List>
</Request>
```

```

    </LanguageData>
  </Languages>
  <ParentCategory><![CDATA[Parent Category]]></ParentCategory>
  <Sort>6</Sort>
  <Hide><![CDATA[FALSE_VALUE]]></Hide>
  <ViewType><![CDATA[grid]]></ViewType>
  <GridColumn>3</GridColumn>

<CanonicalUrl><![CDATA[http://www.mysite.com/Apple-iPhone-3G.html]]></CanonicalUrl>
  <PasswordProtected><![CDATA[FALSE_VALUE]]></PasswordProtected>
  <SiteWideDiscount>10</SiteWideDiscount>
  <SlugStyle><![CDATA[custom]]></SlugStyle>
  <PhotoGroups length="1">
    <PhotoGroup>
      <Photos length="1">
        <Photo>
          <Flag>THUMBNAIL_PHOTO_FLAG</Flag>
          <LocalFile>
            <Name><![CDATA[mytest.jpg]]></Name>
            <Extension><![CDATA[.jpg]]></Extension>
            <Data>lksjfsa;lfjsals;fjksafjsa;fjasdkfasjdfadfa</Data>
          </LocalFile>
        </Photo>
      </Photos>
    </PhotoGroup>
  </PhotoGroups>

<URL><![CDATA[http://drop.ndtv.com/TECH/product_database/images/3292016114244AM_63
5_samsung_galaxy_j7_2016.jpeg]]></URL>
  <Width><![CDATA[100]]></Width>
  <Height><![CDATA[200]]></Height>
  <Languages length="2">
    <LanguageData charset="ISO-8859-1" id="1">
      <Caption><![CDATA[Caption 1]]></Caption>
      <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
    </LanguageData>
    <LanguageData charset="UTF-8" id="2">
      <Caption><![CDATA[Caption 1 (greek)]]></Caption>
      <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
    </LanguageData>
  </Languages>
</Photo>

</Photos>
</PhotoGroup>
</PhotoGroups>
</Category>

```

```
</List>
</Request>
```

Category Add Response

```
<?xml version="1.0" encoding="UTF-8"?>
<Response>
  <Action>ACTION_TYPE_CATEGORY_ADD</Action>
  <Status>SUCCESS_CODE</Status>
  <Code>
  </Code>
  <Messages>
  </Messages>
  <List length="1">
    <Category id="67">
      <Code>100</Code>
      <Message>
        <![CDATA[]]>
      </Message>
    </Category>
  </List>
</Response>
```

Category Edit Request

```
<Request version="1.0">
  <Authentication>
    <Username><![CDATA[admin]]></Username>
    <Password><![CDATA[Password1!]]></Password>
```

```

    <StoreName><![CDATA[sumeffectsof224]]></StoreName>
    <XMLKey><![CDATA[123]]></XMLKey>
</Authentication>
<Action>ACTION_TYPE_CATEGORY_EDIT</Action>
<List length="1">
  <Category>
    <Languages length="2">
      <LanguageData charset="ISO-8859-1" id="1">
        <Name><![CDATA[Samsung Galaxy]]></Name>
        <Teaser><![CDATA[Teaser]]></Teaser>
        <Description><![CDATA[Description]]></Description>
        <MetaTitle><![CDATA[Meta Title]]></MetaTitle>
        <MetaDescription><![CDATA[Meta Description]]></MetaDescription>
        <MetaKeywords><![CDATA[Meta Keywords]]></MetaKeywords>
        <Slug><![CDATA[custom_slug_greek]]></Slug>
        <BottomText><![CDATA[custom_slug]]></BottomText>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <Name><![CDATA[Samsung Galaxy]]></Name>
        <Teaser><![CDATA[Teaser]]></Teaser>
        <Description><![CDATA[Description]]></Description>
        <MetaTitle><![CDATA[Meta Title]]></MetaTitle>
        <MetaDescription><![CDATA[Meta Description]]></MetaDescription>
        <MetaKeywords><![CDATA[Meta Keywords]]></MetaKeywords>
        <Slug><![CDATA[custom_slug_greek]]></Slug>
        <BottomText><![CDATA[custom_slug]]></BottomText>
      </LanguageData>
    </Languages>
    <ParentCategory><![CDATA[Parent Category]]></ParentCategory>
    <Sort>6</Sort>
    <Hide><![CDATA[FALSE_VALUE]]></Hide>
    <ViewType><![CDATA[grid]]></ViewType>
    <GridColumn>3</GridColumn>

<CanonicalUrl><![CDATA[http://www.mysite.com/Apple-iPhone-3G.html]]></CanonicalUrl>
  <PasswordProtected><![CDATA[FALSE_VALUE]]></PasswordProtected>
  <SiteWideDiscount>10</SiteWideDiscount>
  <SlugStyle><![CDATA[custom]]></SlugStyle>
  <PhotoGroups length="1">
    <PhotoGroup>
      <Photos length="1">
        <Photo>
          <Flag>THUMBNAIL_PHOTO_FLAG</Flag>

```

```

    <LocalFile>
      <Name><![CDATA[mytest.jpg]]></Name>
      <Extension><![CDATA[.jpg]]></Extension>
      <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
    </LocalFile>

  <URL><![CDATA[http://drop.ndtv.com/TECH/product_database/images/3292016114244AM_63
5_samsung_galaxy_j7_2016.jpeg]]></URL>
    <Width><![CDATA[100]]></Width>
    <Height><![CDATA[200]]></Height>
    <Languages length="2">
      <LanguageData charset="ISO-8859-1" id="1">
        <Caption><![CDATA[Caption 1]]></Caption>
        <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <Caption><![CDATA[Caption 1 (greek)]]></Caption>
        <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
      </LanguageData>
    </Languages>
  </Photo>

</Photos>
</PhotoGroup>
</PhotoGroups>
</Category>
</List>
</Request>

```

Category Edit Response

```

<?xml version="1.0" encoding="UTF-8"?>
<Response>
  <Action>ACTION_TYPE_CATEGORY_ADD</Action>
  <Status>SUCCESS_CODE</Status>
  <Code>
  </Code>
  <Messages>
  </Messages>
  <List length="1">

```

```

<Category id="67">
<Code>100</Code>
<Message>
<![CDATA[]]>
</Message>
</Category>
</List>
</Response>

```

Product Add Request

```

<Request version="1.0">
  <Authentication>
    <Username><![CDATA[admin]]></Username>
    <Password><![CDATA[Password1!]]></Password>
    <StoreName><![CDATA[sumeffectsof224]]></StoreName>
    <XMLKey><![CDATA[123]]></XMLKey>
  </Authentication>
  <Action>ACTION_TYPE_PRODUCT_ADD</Action>
  <List length="1">
    <Product>
      <Languages length="2">
        <LanguageData charset="ISO-8859-1" id="1">
          <Name><![CDATA[Test Product]]></Name>
          <Teaser><![CDATA[Teaser]]></Teaser>
          <Description><![CDATA[Description]]></Description>
          <CallEmailForPricingDisplay><![CDATA[Call/Email For
Pricing]]></CallEmailForPricingDisplay>
          <MetaTitle><![CDATA[Meta Title]]></MetaTitle>
          <MetaDescription><![CDATA[Meta Description]]></MetaDescription>
          <MetaKeywords><![CDATA[Meta Keywords]]></MetaKeywords>
          <MobileTeaser><![CDATA[Mobile Teaser]]></MobileTeaser>
          <MobileDescription><![CDATA[Mobile Description]]></MobileDescription>
          <CustomTab1Name><![CDATA[Details]]></CustomTab1Name>
          <CustomTab1HTML><![CDATA[Handles Extremely Well:<br /><ul><li>Under
water</li><li>High temperatures</li><li>Low temperatures</li></ul>]]></CustomTab1HTML>
          <CustomTab2Name><![CDATA[Warranty]]></CustomTab2Name>
          <CustomTab2HTML><![CDATA[Comes with standard 2 year mfg
warranty.]]></CustomTab2HTML>
          <Slug><![CDATA[custom_slug]]></Slug>
        </LanguageData>
        <LanguageData charset="UTF-8" id="2">
          <Name><![CDATA[Test Product (greek)]]></Name>

```

```

    <Teaser><![CDATA[Teaser (greek)]]></Teaser>
    <Description><![CDATA[Description (greek)]]></Description>
    <CallEmailForPricingDisplay><![CDATA[Call/Email For Pricing
(greek)]]></CallEmailForPricingDisplay>
    <MetaTitle><![CDATA[Meta Title (greek)]]></MetaTitle>
    <MetaDescription><![CDATA[Meta Description (greek)]]></MetaDescription>
    <MetaKeywords><![CDATA[Meta Keywords (greek)]]></MetaKeywords>
    <MobileTeaser><![CDATA[Mobile Teaser (greek)]]></MobileTeaser>
    <MobileDescription><![CDATA[Mobile Description (greek)]]></MobileDescription>
    <CustomTab1Name><![CDATA[Details (greek)]]></CustomTab1Name>
    <CustomTab1HTML><![CDATA[Handles Extremely Well (greek):<br
/><ul><li>Under water</li><li>High temperatures</li><li>Low
temperatures</li></ul>]]></CustomTab1HTML>
    <CustomTab2Name><![CDATA[Warranty (greek)]]></CustomTab2Name>
    <CustomTab2HTML><![CDATA[Comes with standard 2 year mfg warranty.
(greek)]]></CustomTab2HTML>
    <Slug><![CDATA[custom_slug_greek]]></Slug>
  </LanguageData>
</Languages>
<SKU><![CDATA[sku-1]]></SKU>
<UPC><![CDATA[upc-1]]></UPC>
<MSRP>
  <Amount><![CDATA[2.50]]></Amount>
</MSRP>
<Price>
  <Amount><![CDATA[5.00]]></Amount>
</Price>
<SalesPrice>
  <Amount><![CDATA[2.00]]></Amount>
</SalesPrice>
<SaleStart>
  <UnixTimeStamp>1281675600</UnixTimeStamp>
  <Day>13</Day>
  <Month>08</Month>
  <Year>2010</Year>
  <Hour>00</Hour>
  <Minute>00</Minute>
  <Second>00</Second>
</SaleStart>
<SaleEnd>
  <UnixTimeStamp>1281675600</UnixTimeStamp>
  <Day>13</Day>
  <Month>08</Month>

```



```

    <Year>2010</Year>
    <Hour>00</Hour>
    <Minute>00</Minute>
    <Second>00</Second>
</SaleEnd>
<UseSalesPrice>Boolean Types</UseSalesPrice>
<CustomerMustAddToCartToSeeSalesPrice>Boolean
Types</CustomerMustAddToCartToSeeSalesPrice>
<DisplayMSRPAndSavingsFormat>Boolean Types</DisplayMSRPAndSavingsFormat>
<Categories length="1">
  <Category>
    <Languages length="2">
      <LanguageData charset="ISO-8859-1" id="1">
        <Name><![CDATA[Test Category]]></Name>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <Name><![CDATA[Test Category (greek)]]></Name>
      </LanguageData>
    </Languages>
  </Category>
</Categories>
<Vendors length="1">
  <Vendor id="1">
    <Company><![CDATA[Test Vendor]]></Company>
  </Vendor>
</Vendors>
<DisplayFacebookLink>Boolean Types</DisplayFacebookLink>
<DisplayTwitterLink>Boolean Types</DisplayTwitterLink>
<CustomProductLists length="1">
  <CustomProductList id="1">
    <Name><![CDATA[Test Custom Product List]]></Name>
    <ListItems length="1">
      <ListItem id="1">
        <Name><![CDATA[Test Custom Product List Item]]></Name>
      </ListItem>
    </ListItems>
  </CustomProductList>
</CustomProductLists>
<TwoCheckoutId><![CDATA[111]]></TwoCheckoutId>
<GoogleWebsiteOptimizer>
  <Enabled>Boolean Types</Enabled>
  <TestVariants length="1">
    <TestVariant>Google Website Optimizer Variant Types</TestVariant>
  </TestVariants>

```

```

    </TestVariants>
  </GoogleWebsiteOptimizer>
  <Available>Boolean Types</Available>
  <Discontinued>Boolean Types</Discontinued>
  <TrackInventory>Product Inventory Tracking Types</TrackInventory>
  <InventoryLevel><![CDATA[5]]></InventoryLevel>
  <LowInventoryNotifyLevel><![CDATA[2]]></LowInventoryNotifyLevel>
  <InventoryNotified>Boolean Types</InventoryNotified>
  <Cost>
    <Amount><![CDATA[1.50]]></Amount>
  </Cost>
  <BundledProducts length="1">
    <BundledProduct id="1">
      <Languages length="2">
        <LanguageData charset="ISO-8859-1" id="1">
          <Name><![CDATA[Bundled Product]]></Name>
        </LanguageData>
        <LanguageData charset="UTF-8" id="2">
          <Name><![CDATA[Bundled Product (german)]]></Name>
        </LanguageData>
      </Languages>
    </BundledProduct>
  </BundledProducts>
  <BundleDiscount>5</BundleDiscount>
  <Weight>
    <Amount><![CDATA[5]]></Amount>
    <Units>LBS/KGS/OZ</Units>
  </Weight>
  <BoxWidth><![CDATA[5.00]]></BoxWidth>
  <BoxHeight><![CDATA[6.00]]></BoxHeight>
  <BoxLength><![CDATA[7.00]]></BoxLength>
  <BoxGirth><![CDATA[8.00]]></BoxGirth>
  <FirstClassMailType>USPS First Class Mail Types</FirstClassMailType>
  <ContainerType>USPS Container Types</ContainerType>
  <MultiShipBox>Y/N</MultiShipBox>
  <Weight2>
    <Amount><![CDATA[5]]></Amount>
    <Units>LBS/KGS/OZ</Units>
  </Weight2>
  <Width2><![CDATA[5.00]]></Width2>
  <Height2><![CDATA[6.00]]></Height2>
  <Length2><![CDATA[7.00]]></Length2>
  <BoxGirth2><![CDATA[8.00]]></BoxGirth2>

```

```

<FirstClassMailType2>USPS First Class Mail Types</FirstClassMailType2>
<ContainerType2>USPS Container Types</ContainerType2>
<Weight3>
  <Amount><![CDATA[5]]></Amount>
  <Units>LBS/KGS/OZ</Units>
</Weight3>
<Width3><![CDATA[5.00]]></Width3>
<Height3><![CDATA[6.00]]></Height3>
<Length3><![CDATA[7.00]]></Length3>
<BoxGirth3><![CDATA[8.00]]></BoxGirth3>
<FirstClassMailType3>USPS First Class Mail Types</FirstClassMailType3>
<ContainerType3>USPS Container Types</ContainerType3>
<Weight4>
  <Amount><![CDATA[5]]></Amount>
  <Units>LBS/KGS/OZ</Units>
</Weight4>
<Width4><![CDATA[5.00]]></Width4>
<Height4><![CDATA[6.00]]></Height4>
<Length4><![CDATA[7.00]]></Length4>
<BoxGirth4><![CDATA[8.00]]></BoxGirth4>
<FirstClassMailType4>USPS First Class Mail Types</FirstClassMailType4>
<ContainerType4>USPS Container Types</ContainerType4>
<Weight5>
  <Amount><![CDATA[5]]></Amount>
  <Units>LBS/KGS/OZ</Units>
</Weight5>
<Width5><![CDATA[5.00]]></Width5>
<Height5><![CDATA[6.00]]></Height5>
<Length5><![CDATA[7.00]]></Length5>
<BoxGirth5><![CDATA[8.00]]></BoxGirth5>
<FirstClassMailType5>USPS First Class Mail Types</FirstClassMailType5>
<ContainerType5>USPS Container Types</ContainerType5>
<FreightClass>Freight Classes</FreightClass>
<SouthEasternFreightClass>South Eastern Freight Classes</SouthEasternFreightClass>
<ABFFreightClass>ABF Freight Classes</ABFFreightClass>
<UPSFreightClass>UPS Freight Classes</UPSFreightClass>
<UPSFreightNumberOfPieces><![CDATA[4]]></UPSFreightNumberOfPieces>

<UPSFreightNumberOfHandlingUnits><![CDATA[0.75]]></UPSFreightNumberOfHandlingUnits>
<UPSFreightPackaging>UPS Freight Packaging Types</UPSFreightPackaging>
<ShippingSurcharge>
  <Amount><![CDATA[.33]]></Amount>
</ShippingSurcharge>

```

```

<FreightItem>
  <Amount><![CDATA[5.00]]></Amount>
</FreightItem>
<PerProductShipping>
  <Options length="2">
    <Option zoneId="1">
      <ShippingOption><![CDATA[Option 1]]></ShippingOption>
      <PricePerQuantity>
        <Amount><![CDATA[1.50]]></Amount>
      </PricePerQuantity>
      <NotApplicable>Boolean Types</NotApplicable>
    </Option>
  </Options>
</PerProductShipping>
<RelatedProducts length="1">
  <RelatedProduct id="1">
    <Languages>
      <LanguageData charset="ISO-8859-1" id="1">
        <Name><![CDATA[Related Product 1]]></Name>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <Name><![CDATA[Related Product (greek)]]></Name>
      </LanguageData>
    </Languages>
  </RelatedProduct>
</RelatedProducts>

<NumberOfRelatedProductsToDisplay><![CDATA[5]]></NumberOfRelatedProductsToDisplay>
<CrossSellProducts length="1">
  <CrossSellProduct id="1">
    <Languages>
      <LanguageData charset="ISO-8859-1" id="1">
        <Name><![CDATA[Cross Sell Product]]></Name>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <Name><![CDATA[Cross Sell Product (greek)]]></Name>
      </LanguageData>
    </Languages>
  </CrossSellProduct>
</CrossSellProducts>
<Size><![CDATA[1"x2"x3"]]></Size>
<CallEmailForPricing>Boolean Types</CallEmailForPricing>
<CallEmailForPricingDisplayPrice>Boolean Types</CallEmailForPricingDisplayPrice>

```

```

<UserDefinedFields length="2">
  <UserDefinedField>
    <Label><![CDATA[UDF 1]]></Label>
    <Value><![CDATA[UDF Value 1]]></Value>
  </UserDefinedField>
  <UserDefinedField>
    <Label><![CDATA[UDF 2]]></Label>
    <Value><![CDATA[UDF Value 2]]></Value>
  </UserDefinedField>
</UserDefinedFields>
<Personalizations length="1">
  <Question>
    <Languages>
      <LanguageData charset="ISO-8859-1" id="1">
        <Name><![CDATA[Question 1]]></Name>
        <HelperText><![CDATA[Answer this question to the best of your
ability]]></HelperText>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <Name><![CDATA[Question 1 (greek)]]></Name>
        <HelperText><![CDATA[Answer this question to the best of your ability in
Greek]]></HelperText>
      </LanguageData>
    </Languages>
    <Type>Personalization Types</Type>
    <Size><![CDATA[5]]></Size>
    <MaxCharacters><![CDATA[15]]></MaxCharacters>
    <Required>Boolean Types</Required>
    <SortOrder><![CDATA[1]]></SortOrder>
    <TrackInventory>Boolean Types</TrackInventory>
    <Enabled>Boolean Types</Enabled>
    <Answers length="1">
      <Answer id="1">
        <Languages length="2">
          <LanguageData charset="ISO-8859-1" id="1">
            <Name><![CDATA[Answer 1]]></Name>
          </LanguageData>
          <LanguageData charset="UTF-8" id="2">
            <Name><![CDATA[Answer 1 (greek)]]></Name>
          </LanguageData>
        </Languages>
        <Price>
          <Amount><![CDATA[2.00]]></Amount>
        </Price>
      </Answer>
    </Answers>
  </Question>
</Personalizations>

```

```

</Price>
<CustomPricing type="Customer Group Discount Types">
  <CustomerGroupPricing>
    <CustomerGroups length="2">
      <CustomerGroup id="1">
        <Name><![CDATA[Customer Group 1]]></Name>
        <Price>
          <Amount><![CDATA[10.00]]></Amount>
        </Price>
      </CustomerGroup>
      <CustomerGroup id="2">
        <Name><![CDATA[Customer Group 2]]></Name>
        <Price>
          <Amount><![CDATA[15.00]]></Amount>
        </Price>
      </CustomerGroup>
    </CustomerGroups>
  </CustomerGroupPricing>
</CustomPricing>
<SKU><![CDATA[abc-123]]></SKU>
<Enabled>Boolean Types</Enabled>
<Default>Boolean Types</Default>
<SortOrder><![CDATA[1]]></SortOrder>
<PriceType>Product Personalization Answer Price Types</PriceType>
<Weight>
  <Amount><![CDATA[5]]></Amount>
  <Units>Weight Units</Units>
</Weight>
<Cost>
  <Amount><![CDATA[1.25]]></Amount>
</Cost>
<InventoryLevel><![CDATA[5]]></InventoryLevel>
<LowInventoryNotifyLevel><![CDATA[2]]></LowInventoryNotifyLevel>
</Answer>
</Answers>
</Question>
</Personalizations>
<PhotoGroups length="1">
  <PhotoGroup id="1">
    <Photos length="1">
      <Photo id="1">
        <Flag>Photo Flags</Flag>
        <LocalFile>

```

```

        <Name><![CDATA[mytest.jpg]]></Name>
        <Extension><![CDATA[.jpg]]></Extension>
        <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
    </LocalFile>
    <URL><![CDATA[1]]></URL>
    <CopyPhoto><![CDATA[TRUE_VALUE]]></CopyPhoto>
    <Width><![CDATA[100]]></Width>
    <Height><![CDATA[200]]></Height>
    <Languages length="2">
        <LanguageData charset="ISO-8859-1" id="1">
            <Caption><![CDATA[Caption 1]]></Caption>
            <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
        </LanguageData>
        <LanguageData charset="UTF-8" id="2">
            <Caption><![CDATA[Caption 1 (greek)]]></Caption>
            <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
        </LanguageData>
    </Languages>
</Photo>
<SortOrder></SortOrder>
</Photos>
</PhotoGroup>
</PhotoGroups>
<OptionGroups length="2">
    <OptionGroup id="1">
        <Languages length="2">
            <LanguageData charset="ISO-8859-1" id="1">
                <Name><![CDATA[Size]]></Name>
                <FirstOptionValue><![CDATA[Please Choose a Size]]></FirstOptionValue>
            </LanguageData>
            <LanguageData cahrset="UTF-8" id="2">
                <Name><![CDATA[Size (greek)]]></Name>
                <FirstOptionValue><![CDATA[Please Choose a Size
(greek)]]></FirstOptionValue>
            </LanguageData>
        </Languages>
        <UseFirstOptionValue>Boolean Types</UseFirstOptionValue>
        <SortOrder><![CDATA[1]]></SortOrder>
        <Options length="2">
            <Option id="1">
                <Languages length="2">
                    <LanguageData charset="ISO-8859-1" id="1">
                        <Name><![CDATA[Small]]></Name>

```

```

</LanguageData>
<LanguageData charset="UTF-8" id="2">
  <Name><![CDATA[Small (greek)]]></Name>
</LanguageData>
</Languages>
<SortOrder><![CDATA[2]]></SortOrder>
<SKU><![CDATA[abc-123]]></SKU>
<Price>
  <Amount><![CDATA[5.00]]></Amount>
</Price>
<Weight>
  <Amount><![CDATA[5]]></Amount>
  <Units>Weight Units</Units>
</Weight>
<Cost>
  <Amount><![CDATA[2.50]]></Amount>
</Cost>
<MSRP>
  <Amount><![CDATA[6.00]]></Amount>
</MSRP>
<Photos length="1">
  <Photo id="1">
    <Flag>Photo Flags</Flag>
    <LocalFile>
      <Name><![CDATA[mytest.jpg]]></Name>
      <Extension><![CDATA[.jpg]]></Extension>
      <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
    </LocalFile>
    <URL><![CDATA[http://www.mysite.com/myimage.jpg]]></URL>
    <Width><![CDATA[100]]></Width>
    <Height><![CDATA[200]]></Height>
    <Languages length="2">
      <LanguageData charset="ISO-8859-1" id="1">
        <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
      </LanguageData>
    </Languages>
    <AltLocation><![CDATA[http://www.corecommerce.com]]></AltLocation>
  </Photo>
</Photos>
</Option>

```



```

<Option id="2">
  <Languages length="2">
    <LanguageData charset="ISO-8859-1" id="1">
      <Name><![CDATA[Medium]]></Name>
    </LanguageData>
    <LanguageData cahrset="UTF-8" id="2">
      <Name><![CDATA[Medium (greek)]]></Name>
    </LanguageData>
  </Languages>
  <SortOrder><![CDATA[2]]></SortOrder>
  <SKU><![CDATA[abc-123]]></SKU>
  <Price>
    <Amount><![CDATA[5.00]]></Amount>
  </Price>
  <Weight>
    <Amount><![CDATA[5]]></Amount>
    <Units>Weight Units</Units>
  </Weight>
  <Cost>
    <Amount><![CDATA[2.50]]></Amount>
  </Cost>
  <MSRP>
    <Amount><![CDATA[6.00]]></Amount>
  </MSRP>
  <Photos length="1">
    <Photo id="2">
      <Flag>Photo Flags</Flag>
      <LocalFile>
        <Name><![CDATA[mytest.jpg]]></Name>
        <Extension><![CDATA[.jpg]]></Extension>
        <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
      </LocalFile>
      <URL><![CDATA[http://www.mysite.com/myimage.jpg]]></URL>
      <Width><![CDATA[100]]></Width>
      <Height><![CDATA[200]]></Height>
      <Languages length="2">
        <LanguageData charset="ISO-8859-1" id="1">
          <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
        </LanguageData>
        <LanguageData charset="UTF-8" id="2">
          <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
        </LanguageData>
      </Languages>
    </Photo>
  </Photos>
</Option>

```

```

        <AltLocation><![CDATA[http://www.corecommerce.com]]></AltLocation>
    </Photo>
</Photos>
</Option>
</Options>
</OptionGroup>
<OptionGroup id="2">
    <Languages length="2">
        <LanguageData charset="ISO-8859-1" id="1">
            <Name><![CDATA[Color]]></Name>
            <FirstOptionValue><![CDATA[Please Choose a Color]]></FirstOptionValue>
        </LanguageData>
        <LanguageData cahrset="UTF-8" id="2">
            <Name><![CDATA[Color (greek)]]></Name>
            <FirstOptionValue><![CDATA[Please Choose a Color
(greek)]]></FirstOptionValue>
        </LanguageData>
    </Languages>
    <UseFirstOptionValue>Boolean Types</UseFirstOptionValue>
    <SortOrder><![CDATA[2]]></SortOrder>
    <Options length="2">
        <Option id="3">
            <Languages length="2">
                <LanguageData charset="ISO-8859-1" id="1">
                    <Name><![CDATA[Yellow]]></Name>
                </LanguageData>
                <LanguageData cahrset="UTF-8" id="2">
                    <Name><![CDATA[Yellow (greek)]]></Name>
                </LanguageData>
            </Languages>
            <SortOrder><![CDATA[2]]></SortOrder>
            <SKU><![CDATA[abc-123]]></SKU>
            <Price>
                <Amount><![CDATA[5.00]]></Amount>
            </Price>
            <Weight>
                <Amount><![CDATA[5]]></Amount>
                <Units>Weight Units</Units>
            </Weight>
            <Cost>
                <Amount><![CDATA[2.50]]></Amount>
            </Cost>
            <MSRP>

```

```

    <Amount><![CDATA[6.00]]></Amount>
</MSRP>
<Photos length="1">
  <Photo id="3">
    <Flag>Photo Flags</Flag>
    <LocalFile>
      <Name><![CDATA[mytest.jpg]]></Name>
      <Extension><![CDATA[.jpg]]></Extension>
      <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
    </LocalFile>
    <URL><![CDATA[http://www.mysite.com/myimage.jpg]]></URL>
    <CopyPhoto><![CDATA[TRUE_VALUE]]></CopyPhoto>
    <Width><![CDATA[100]]></Width>
    <Height><![CDATA[200]]></Height>
    <Languages length="2">
      <LanguageData charset="ISO-8859-1" id="1">
        <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
      </LanguageData>
    </Languages>
    <AltLocation><![CDATA[http://www.corecommerce.com]]></AltLocation>
  </Photo>
</Photos>
</Option>
<Option id="4">
  <Languages length="2">
    <LanguageData charset="ISO-8859-1" id="1">
      <Name><![CDATA[Orange]]></Name>
    </LanguageData>
    <LanguageData cahrset="UTF-8" id="2">
      <Name><![CDATA[Orange (greek)]]></Name>
    </LanguageData>
  </Languages>
  <SortOrder><![CDATA[2]]></SortOrder>
  <SKU><![CDATA[abc-123]]></SKU>
  <Price>
    <Amount><![CDATA[5.00]]></Amount>
  </Price>
  <Weight>
    <Amount><![CDATA[5]]></Amount>
    <Units>Weight Units</Units>
  </Weight>

```

```

</Weight>
<Cost>
  <Amount><![CDATA[2.50]]></Amount>
</Cost>
<MSRP>
  <Amount><![CDATA[6.00]]></Amount>
</MSRP>
<Photos length="1">
  <Photo id="4">
    <Flag>Photo Flags</Flag>
    <LocalFile>
      <Name><![CDATA[mytest.jpg]]></Name>
      <Extension><![CDATA[.jpg]]></Extension>
      <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
    </LocalFile>
    <URL><![CDATA[http://www.mysite.com/myimage.jpg]]></URL>
    <Width><![CDATA[100]]></Width>
    <Height><![CDATA[200]]></Height>
    <Languages length="2">
      <LanguageData charset="ISO-8859-1" id="1">
        <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
      </LanguageData>
    </Languages>
    <AltLocation><![CDATA[http://www.corecommerce.com]]></AltLocation>
  </Photo>
</Photos>
</Option>
</Options>
</OptionGroup>
</OptionGroups>
<OptionSets length="1">
  <OptionSet id="1">
    <Groups length="2">
      <Group>
        <LanguageData charset="ISO-8859-1" id="1">
          <GroupName><![CDATA[Size]]></GroupName>
          <OptionName><![CDATA[Medium]]></OptionName>
        </LanguageData>
      </Group>
      <Group>

```

```

    <LanguageData charset="ISO-8859-1" id="1">
      <GroupName><![CDATA[Color]]></GroupName>
      <OptionName><![CDATA[Yellow]]></OptionName>
    </LanguageData>
  </Group>
</Groups>
<SKU><![CDATA[abc-123]]></SKU>
<Price>
  <Amount><![CDATA[1.00]]></Amount>
</Price>
<Weight>
  <Amount><![CDATA[5.00]]></Amount>
  <Units>Weight Units</Units>
</Weight>
<Cost>
  <Amount><![CDATA[.75]]></Amount>
</Cost>
<MSRP>
  <Amount><![CDATA[6.00]]></Amount>
</MSRP>
<DownloadFile>
  <Name><![CDATA[download1.zip]]></Name>
  <Extension><![CDATA[zip]]></Extension>
  <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
</DownloadFile>
<Enabled>Boolean Types</Enabled>
<InventoryLevel>10</InventoryLevel>
<LowInventoryNotifyLevel>5</LowInventoryNotifyLevel>
<Photos length="1">
  <Photo id="5">
    <Flag>Photo Flags</Flag>
    <LocalFile>
      <Name><![CDATA[mytest.jpg]]></Name>
      <Extension><![CDATA[jpg]]></Extension>
      <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
    </LocalFile>
    <URL><![CDATA[http://www.mysite.com/myimage.jpg]]></URL>
    <Width><![CDATA[100]]></Width>
    <Height><![CDATA[200]]></Height>
  </Photo>
</Photos length="2">
  <LanguageData charset="ISO-8859-1" id="1">
    <Caption><![CDATA[Caption 1]]></Caption>
    <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
  </LanguageData>
</Photos length="2">

```

```

        </LanguageData>
        <LanguageData charset="UTF-8" id="2">
            <Caption><![CDATA[Caption 1 (greek)]]></Caption>
            <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
        </LanguageData>
    </Languages>
</Photo>
</Photos>
</OptionSet>
</OptionSets>
<CustomPricing type="Customer Group Discount Types">
    <CustomerGroupPricing>
        <CustomerGroups length="2">
            <CustomerGroup id="1">
                <Name><![CDATA[Customer Group 1]]></Name>
                <Price>
                    <Amount><![CDATA[10.00]]></Amount>
                </Price>
            </CustomerGroup>
            <CustomerGroup id="2">
                <Name><![CDATA[Customer Group 2]]></Name>
                <Price>
                    <Amount><![CDATA[15.00]]></Amount>
                </Price>
            </CustomerGroup>
        </CustomerGroups>
    </CustomerGroupPricing>
    <QuantityBasedPricing>
        <QuantityGroups length="2">
            <QuantityGroup>
                <Minimum><![CDATA[1]]></Minimum>
                <Maximum><![CDATA[5]]></Maximum>
                <Price>
                    <Amount><![CDATA[5.00]]></Amount>
                </Price>
            </QuantityGroup>
            <CustomerGroupPrices length="2">
                <CustomerGroupPrice id="1">
                    <Name><![CDATA[Customer Group 1]]></Name>
                    <Price>
                        <Amount><![CDATA[1.00]]></Amount>
                    </Price>
                </CustomerGroupPrice>
                <CustomerGroupPrice id="2">

```

```

        <Name><![CDATA[Customer Group 2]]></Name>
        <Price>
            <Amount><![CDATA[2.00]]></Amount>
        </Price>
    </CustomerGroupPrice>
</CustomerGroupPrices>
</QuantityGroup>
<QuantityGroup>
    <Minimum><![CDATA[6]]></Minimum>
    <Maximum><![CDATA[10]]></Maximum>
    <Price>
        <Amount><![CDATA[3.00]]></Amount>
    </Price>
<CustomerGroupPrices length="2">
    <CustomerGroupPrice id="1">
        <Name><![CDATA[Customer Group 1]]></Name>
        <Price>
            <Amount><![CDATA[3.00]]></Amount>
        </Price>
    </CustomerGroupPrice>
    <CustomerGroupPrice id="2">
        <Name><![CDATA[Customer Group 2]]></Name>
        <Price>
            <Amount><![CDATA[4.00]]></Amount>
        </Price>
    </CustomerGroupPrice>
</CustomerGroupPrices>
</QuantityGroup>
</QuantityGroups>
</QuantityBasedPricing>
</CustomPricing>
<DownloadFiles length="2">
    <DownloadFile>
        <Name><![CDATA[download1.zip]]></Name>
        <Extension><![CDATA[zip]]></Extension>
        <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
    </DownloadFile>
    <DownloadFile>
        <Name><![CDATA[download2.zip]]></Name>
        <Extension><![CDATA[zip]]></Extension>
        <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
    </DownloadFile>
</DownloadFiles>

```

```

<Taxable>Boolean Types</Taxable>
<Featured>Boolean Types</Featured>
<ShippingExempt>Boolean Types</ShippingExempt>
<EligibleForFreeShipping>Boolean Types</EligibleForFreeShipping>
<GiftWrappingAvailable>Boolean Types</GiftWrappingAvailable>
<EligibleForRewardPoints>Boolean Types</EligibleForRewardPoints>
<AllowFileUploads>Boolean Types</AllowFileUploads>
<EligibleForSubscriptionBilling>Boolean Types</EligibleForSubscriptionBilling>
<SubscriptionPrice>
  <Amount><![CDATA[5.00]]></Amount>
</SubscriptionPrice>
<UseEmailReminder>Boolean Types</UseEmailReminder>
<EmailReminders length="2">
  <EmailReminder>
    <Default>Boolean Types</Default>
    <Available>Boolean Types</Available>
    <Name>Email Reminder Names</Name>
  </EmailReminder>
  <EmailReminder>
    <Default>Boolean Types</Default>
    <Available>Boolean Types</Available>
    <Name>Email Reminder Names</Name>
  </EmailReminder>
</EmailReminders>
<MinimumOrderQuantity><![CDATA[5]]></MinimumOrderQuantity>
<SubscriptionShippingFee>
  <Amount><![CDATA[5.00]]></Amount>
</SubscriptionShippingFee>
<AllowSubscriptionLimit>Boolean Types</AllowSubscriptionLimit>
<SubscriptionLimit><![CDATA[5]]></SubscriptionLimit>
<Condition>Froogle Condition Types</Condition>
<Expiration>
  <UnixTimeStamp><![CDATA[1111111]]></UnixTimeStamp>
  <Day><![CDATA[2]]></Day>
  <Month><![CDATA[5]]></Month>
  <Year><![CDATA[2009]]></Year>
  <Hour><![CDATA[12]]></Hour>
  <Minute><![CDATA[22]]></Minute>
  <Second><![CDATA[33]]></Second>
</Expiration>
<ProductType><![CDATA[Product Type]]></ProductType>
<ISBN><![CDATA[1234567890]]></ISBN>
<EmailAutoResponders length="2">

```



```

<EmailAutoResponder id="1">
  <Languages length="2">
    <LanguageData charset="ISO-8859-1" id="1">
      <Name><![CDATA[Auto Responder 1]]></Name>
    </LanguageData>
    <LanguageData charset="UTF-8" id="2">
      <Name><![CDATA[Auto Responder 1 (greek)]]></Name>
    </LanguageData>
  </Languages>
</EmailAutoResponder>
<EmailAutoResponder id="2">
  <Languages length="2">
    <LanguageData charset="ISO-8859-1" id="1">
      <Name><![CDATA[Auto Responder 2]]></Name>
    </LanguageData>
    <LanguageData charset="UTF-8" id="2">
      <Name><![CDATA[Auto Responder 2 (greek)]]></Name>
    </LanguageData>
  </Languages>
</EmailAutoResponder>
</EmailAutoResponders>
<Shopzilla>
  <CategoryIdentification><![CDATA[Category Id]]></CategoryIdentification>
  <Condition>Shopzilla Condition Types</Condition>
</Shopzilla>
<CouponsAvailable length="2">
  <Coupon id="1">
    <Code><![CDATA[Coupon 1]]></Code>
    <StartDate>
      <UnixTimeStamp><![CDATA[1111111]]></UnixTimeStamp>
      <Day><![CDATA[2]]></Day>
      <Month><![CDATA[5]]></Month>
      <Year><![CDATA[2009]]></Year>
      <Hour><![CDATA[12]]></Hour>
      <Minute><![CDATA[22]]></Minute>
      <Second><![CDATA[33]]></Second>
    </StartDate>
    <Expiration>
      <UnixTimeStamp><![CDATA[1111111]]></UnixTimeStamp>
      <Day><![CDATA[2]]></Day>
      <Month><![CDATA[10]]></Month>
      <Year><![CDATA[2009]]></Year>
      <Hour><![CDATA[12]]></Hour>
    </Expiration>
  </Coupon>
</CouponsAvailable>

```

```

        <Minute><![CDATA[22]]></Minute>
        <Second><![CDATA[33]]></Second>
    </Expiration>
    <Discount>
        <Amount><![CDATA[10.00]]></Amount>
    </Discount>
</Coupon>
<Coupon id="2">
    <Code><![CDATA[Coupon 2]]></Code>
    <StartDate>
        <UnixTimeStamp><![CDATA[11111111]]></UnixTimeStamp>
        <Day><![CDATA[2]]></Day>
        <Month><![CDATA[5]]></Month>
        <Year><![CDATA[2009]]></Year>
        <Hour><![CDATA[12]]></Hour>
        <Minute><![CDATA[22]]></Minute>
        <Second><![CDATA[33]]></Second>
    </StartDate>
    <Expiration>
        <UnixTimeStamp><![CDATA[11111111]]></UnixTimeStamp>
        <Day><![CDATA[2]]></Day>
        <Month><![CDATA[10]]></Month>
        <Year><![CDATA[2009]]></Year>
        <Hour><![CDATA[12]]></Hour>
        <Minute><![CDATA[22]]></Minute>
        <Second><![CDATA[33]]></Second>
    </Expiration>
    <Discount>
        <Amount><![CDATA[15.00]]></Amount>
    </Discount>
</Coupon>
</CouponsAvailable>
<ProductReviews length="2">
    <ProductReview id="1">
        <Name><![CDATA[Jon Doe]]></Name>
        <Review><![CDATA[This product is great!]]></Review>
        <Date>
            <UnixTimeStamp><![CDATA[11111111]]></UnixTimeStamp>
            <Day><![CDATA[2]]></Day>
            <Month><![CDATA[10]]></Month>
            <Year><![CDATA[2009]]></Year>
            <Hour><![CDATA[12]]></Hour>
            <Minute><![CDATA[22]]></Minute>

```

```

        <Second><![CDATA[33]]></Second>
    </Date>
    <Approved>Boolean Types</Approved>
</ProductReview>
<ProductReview id="2">
    <Name><![CDATA[Sally Johnson]]></Name>
    <Review><![CDATA[I like this product!]]></Review>
    <Date>
        <UnixTimeStamp><![CDATA[1111111]]></UnixTimeStamp>
        <Day><![CDATA[2]]></Day>
        <Month><![CDATA[10]]></Month>
        <Year><![CDATA[2009]]></Year>
        <Hour><![CDATA[12]]></Hour>
        <Minute><![CDATA[22]]></Minute>
        <Second><![CDATA[33]]></Second>
    </Date>
    <Approved>Boolean Types</Approved>
</ProductReview>
</ProductReviews>
<UseRegularTeaserAndDescriptionForMobile>Boolean
Types</UseRegularTeaserAndDescriptionForMobile>
<MobileMainPhoto>
    <Flag>Photo Flags</Flag>
    <LocalFile>
        <Name><![CDATA[mytest.jpg]]></Name>
        <Extension><![CDATA[.jpg]]></Extension>
        <Data>Iksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
    </LocalFile>
    <URL><![CDATA[http://www.mysite.com/myimage.jpg]]></URL>
    <Width><![CDATA[100]]></Width>
    <Height><![CDATA[200]]></Height>
    <Languages length="2">
        <LanguageData charset="ISO-8859-1" id="1">
            <Caption><![CDATA[Caption 1]]></Caption>
            <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
        </LanguageData>
        <LanguageData charset="UTF-8" id="2">
            <Caption><![CDATA[Caption 1 (greek)]]></Caption>
            <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
        </LanguageData>
    </Languages>
</MobileMainPhoto>
<MobileLargePhoto>

```

```

<Flag>Photo Flags</Flag>
<LocalFile>
  <Name><![CDATA[mytest.jpg]]></Name>
  <Extension><![CDATA[.jpg]]></Extension>
  <Data>lksjfsa;lfsals;fjskafjsa;fjasdkfasjdfadfa</Data>
</LocalFile>
<URL><![CDATA[http://www.mysite.com/myimage.jpg]]></URL>
<Width><![CDATA[100]]></Width>
<Height><![CDATA[200]]></Height>
</MobileLargePhoto>
<AllowLowerPriceRequest>Boolean Types</AllowLowerPriceRequest>

<CanonicalUrl><![CDATA[http://www.mysite.com/Apple-iPhone-3G.html]]></CanonicalUrl>
  <SearchPriority><![CDATA[10]]></SearchPriority>
  <ShowMsrpAndHideRetailPrice>Boolean Types</ShowMsrpAndHideRetailPrice>
  <RequiresCustomOrderCompletePage>Boolean
Types</RequiresCustomOrderCompletePage>
  <CustomOrderCompleteId><![CDATA[456]]></CustomOrderCompleteId>
  <DisplayAddThisButton>Boolean Types</DisplayAddThisButton>
  <Attachments length="2">
    <Attachment id="1">
      <LocalFile>
        <Name><![CDATA[spec.pdf]]></Name>
        <Extension>pdf</Extension>
        <Data>lksjfsa;lfsals;fjskafjsa;fjasdkfasjdfadfa</Data>
      </LocalFile>
    </Attachment>
    <Attachment id="2">
      <Url><![CDATA[http://www.mysite.com/pdf/diagram.pdf]]></Url>
    </Attachment>
  </Attachments>
  <TemplateLayout><![CDATA[Pre-Designed 3]]></TemplateLayout>
  <InventoryBundleProducts length="1">
    <InventoryBundleProduct id="1">
      <LanguageData charset="ISO-8859-1" name="English" id="1">
        <Name><![CDATA[Inventory Bundle Product]]></Name>
      </LanguageData>
      <Quantity><![CDATA[5]]></Quantity>
    </InventoryBundleProduct>
  </InventoryBundleProducts>
  <FilterAttributes length="1">
    <FilterAttribute id="1">
      <LanguageData charset="ISO-8859-1" name="English" id="1">

```

```

    <Name><![CDATA[Color]]></Name>
  </LanguageData>
  <Options length="1">
    <Option id="1">
      <LanguageData charset="ISO-8859-1" name="English" id="1">
        <Name><![CDATA[Blue]]></Name>
      </LanguageData>
    </Option>
  </Options>
</FilterAttribute>
</FilterAttributes>
<RestrictedShippingStates length="2">
  <State><![CDATA[Tennessee]]></State>
  <State><![CDATA[Ohio]]></State>
</RestrictedShippingStates>
<InternationalMailType>International Mail Type</InternationalMailType>
<InternationalMailType2>International Mail Type</InternationalMailType2>
<InternationalMailType3>International Mail Type</InternationalMailType3>
<InternationalMailType4>International Mail Type</InternationalMailType4>
<InternationalMailType5>International Mail Type</InternationalMailType5>
<NumberOfItemsPerBox><![CDATA[5]]></NumberOfItemsPerBox>
<GoogleProductsDescription><![CDATA[This product's "Google Products"
description]]></GoogleProductsDescription>
<PasswordProtected>Boolean Types</PasswordProtected>
<Password><![CDATA[SuperSecretPass]]></Password>
<CustomFee>
  <Languages length="1">
    <LanguageData charset="ISO-8859-1" name="English" id="1">
      <Name><![CDATA[Custom Fee]]></Name>
    </LanguageData>
  </Languages>
  <Fee>
    <Amount>5.00</Amount>
  </Fee>
  <Type>Custom Fee Types</Type>
</CustomFee>
<SearchTerms><![CDATA[Test1,Test2]]></SearchTerms>
<MPN><![CDATA[GO1234568OOGLE]]></MPN>
<Brand><![CDATA[Acme]]></Brand>
<GoogleProductsCategory><![CDATA[Apparel &
Accessories]]></GoogleProductsCategory>
<GoogleAvailability>Google Availability Type</GoogleAvailability>
<GoogleGender>Google Gender Type</GoogleGender>

```

```

    <GoogleAgeGroup>Google Age Group Type</GoogleAgeGroup>
    <IncludeInBingProductFeed>Boolean Types</IncludeInBingProductFeed>
    <IncludeInGoogleProductFeed>Boolean Types</IncludeInGoogleProductFeed>
    <SlugStyle><![CDATA[customauto]]></SlugStyle>
    <UsePinterest>Boolean Types</UsePinterest>
    <EchoFreightClass>Echo Freight Classes</EchoFreightClass>
    <EchoFreightPalletQuantity><![CDATA[1]]></EchoFreightPalletQuantity>
    <SoldInMultiplesOf><![CDATA[4]]></SoldInMultiplesOf>
    < treatVariantsAsMainLevelInItemsInQb>Boolean
Types</ treatVariantsAsMainLevelInItemsInQb>
    < includeProductInAdditionToVariantsInQbOrderXml>Boolean
Types</ includeProductInAdditionToVariantsInQbOrderXml>
  </Product>
</List>
</Request>

```

Product Add Response

```

<?xml version="1.0" encoding="UTF-8"?>
<Response>
  <Action>ACTION_TYPE_PRODUCT_EDIT</Action>
  <Status>Status Code List</Status>
  <List length="2">
    <Product id="1">
      <Code>Status Code List</Code>
      <Message>Message List</Message>
    </Product>
    <Product id="2">
      <Code>Code List</Code>
      <Message>Message List</Message>
    </Product>
  </List>
</Response>

```

Product List Request

Request:

```

<Request version="1.0">
  <Authentication>
    <Username><![CDATA[admin]]></Username>

```



```

</Description>
<CallEmailForPricingDisplay>
<![CDATA[]]>
</CallEmailForPricingDisplay>
<MetaDescription>
<![CDATA[ETM Round Edge Sponges]]>
</MetaDescription>
<MetaKeywords>
<![CDATA[ETM Round Edge Sponges]]>
</MetaKeywords>
<MetaTitle>
<![CDATA[ETM Round Edge Sponges]]>
</MetaTitle>
<MobileTeaser>
<![CDATA[<p>
    Bundles of: 25, 50, 100, 400, 500</p>
<br />]]>
</MobileTeaser>
<MobileDescription>
<![CDATA[<p>
    &nbsp;</p>
<div>
    XL sponge size - 7-1/4"x 5-1/4"x 2"</div>
<div>
    L sponge size - 6"x 4"x 2"</div>
<div>
    &nbsp;</div>
<div>
    <strong>Manufacturing Details</strong>
</div>
<div>
    - Base material imported from Germany and Belgium</div>
<div>
    - Excellent quality made in the USA</div>
<div>
    - Guaranteed best quality and longest lasting sponges</div>
<div>
    - 10% - 20% less expensive when you purchase from our website</div>
<br />]]>
</MobileDescription>
<CustomTab1Name>
<![CDATA[]]>
</CustomTab1Name>

```



```
<CustomTab1HTML>
<![CDATA[]]>
</CustomTab1HTML>
<CustomTab2Name>
<![CDATA[]]>
</CustomTab2Name>
<CustomTab2HTML>
<![CDATA[]]>
</CustomTab2HTML>
<Slug>
<![CDATA[ETM-Round-Edge-Sponges]]>
</Slug>
</LanguageData>
</Languages>
<Sku>
<![CDATA[R450]]>
</Sku>
<Upc>
<![CDATA[]]>
</Upc>
<Msrp>
<Amount>
<![CDATA[0.00]]>
</Amount>
</Msrp>
<Price>
<Amount>
<![CDATA[1.13]]>
</Amount>
</Price>
<SalesPrice>
<Amount>
<![CDATA[0.00]]>
</Amount>
</SalesPrice>
<SaleStart>
<UnixTimeStamp>
</UnixTimeStamp>
<Day>01</Day>
<Month>01</Month>
<Year>1970</Year>
<Hour>05</Hour>
<Minute>30</Minute>
```

```

<Second>00</Second>
</SaleStart>
<SaleEnd>
<UnixTimeStamp>
</UnixTimeStamp>
<Day>01</Day>
<Month>01</Month>
<Year>1970</Year>
<Hour>05</Hour>
<Minute>30</Minute>
<Second>00</Second>
</SaleEnd>
<UseSalesPrice>FALSE_VALUE</UseSalesPrice>
<CustomerMustAddToCartToSeeSalesPrice>FALSE_VALUE</CustomerMustAddToCartToSee
SalesPrice>
<DisplayMSRPAndSavingsFormat>FALSE_VALUE</DisplayMSRPAndSavingsFormat>
<Categories length="1">
<Category id="11">
<Languages length="1">
<LanguageData charset="UTF-8" name="English" id="1">
<Name>
<![CDATA[Sponges]]>
</Name>
</LanguageData>
</Languages>
<Sort>0</Sort>
</Category>
</Categories>
<Vendors length="1">
<Vendor id="0">
<Name>
<![CDATA[]]>
</Name>
</Vendor>
</Vendors>
<DisplayFacebookLink>TRUE_VALUE</DisplayFacebookLink>
<DisplayFacebookLike>TRUE_VALUE</DisplayFacebookLike>
<DisplayTwitterLink>TRUE_VALUE</DisplayTwitterLink>
<CustomProductLists length="0">
</CustomProductLists>
<TwoCheckoutId>
<![CDATA[]]>
</TwoCheckoutId>

```

```
<Available>TRUE_VALUE</Available>
<Discontinued>FALSE_VALUE</Discontinued>
<TrackInventory>DO_NOT_TRACK_PRODUCT</TrackInventory>
<InventoryLevel>0</InventoryLevel>
<LowInventoryNotifyLevel>0</LowInventoryNotifyLevel>
<InventoryNotified>INVENTORY_NOTIFICATION_NO</InventoryNotified>
<Cost>
<Amount>0.00</Amount>
</Cost>
<BundledProducts length="0">
</BundledProducts>
<BundleDiscount>
<![CDATA[0]]>
</BundleDiscount>
<Weight>
<Amount>35.0000</Amount>
<Units>LBS</Units>
</Weight>
<BoxWidth>0.00</BoxWidth>
<BoxHeight>0.00</BoxHeight>
<BoxLength>0.00</BoxLength>
<BoxGirth>0.00</BoxGirth>
<FirstClassMailType>USPS_FIRST_CLASS_MAIL_TYPE_LETTER</FirstClassMailType>
<ContainerType>USPS_CONTAINER_TYPE_RECTANGULAR</ContainerType>
<FreightClass>050</FreightClass>
<SouthEasternFreightClass>
<![CDATA[]]>
</SouthEasternFreightClass>
<ABFFreightClass>
<![CDATA[]]>
</ABFFreightClass>
<UPSFreightClass>
<![CDATA[]]>
</UPSFreightClass>
<UPSFreightNumberOfPieces>
<![CDATA[0]]>
</UPSFreightNumberOfPieces>
<UPSFreightNumberOfHandlingUnits>
<![CDATA[0.00]]>
</UPSFreightNumberOfHandlingUnits>
<UPSFreightPackaging>
<![CDATA[]]>
</UPSFreightPackaging>
```

```
<MultiShipBox>
<![CDATA[]]>
</MultiShipBox>
<Weight2>
<Amount>0.0000</Amount>
<Units>LBS</Units>
</Weight2>
<Width2>
<![CDATA[0.00]]>
</Width2>
<Height2>
<![CDATA[0.00]]>
</Height2>
<Length2>
<![CDATA[0.00]]>
</Length2>
<Girth2>
<![CDATA[0.00]]>
</Girth2>
<FirstClassMailType2>
<![CDATA[]]>
</FirstClassMailType2>
<ContainerType2>
<![CDATA[]]>
</ContainerType2>
<Weight3>
<Amount>0.0000</Amount>
<Units>LBS</Units>
</Weight3>
<Width3>
<![CDATA[0.00]]>
</Width3>
<Height3>
<![CDATA[0.00]]>
</Height3>
<Length3>
<![CDATA[0.00]]>
</Length3>
<Girth3>
<![CDATA[0.00]]>
</Girth3>
<FirstClassMailType3>
<![CDATA[]]>
```

```
</FirstClassMailType3>
<ContainerType3>
<![CDATA[]]>
</ContainerType3>
<Weight4>
<Amount>0.0000</Amount>
<Units>LBS</Units>
</Weight4>
<Width4>
<![CDATA[0.00]]>
</Width4>
<Height4>
<![CDATA[0.00]]>
</Height4>
<Length4>
<![CDATA[0.00]]>
</Length4>
<Girth4>
<![CDATA[0.00]]>
</Girth4>
<FirstClassMailType4>
<![CDATA[]]>
</FirstClassMailType4>
<ContainerType4>
<![CDATA[]]>
</ContainerType4>
<Weight5>
<Amount>0.0000</Amount>
<Units>LBS</Units>
</Weight5>
<Width5>
<![CDATA[0.00]]>
</Width5>
<Height5>
<![CDATA[0.00]]>
</Height5>
<Length5>
<![CDATA[0.00]]>
</Length5>
<Girth5>
<![CDATA[0.00]]>
</Girth5>
<FirstClassMailType5>
```

```

<![CDATA[]]>
</FirstClassMailType5>
<ContainerType5>
<![CDATA[]]>
</ContainerType5>
<ShippingSurcharge>
<Amount>
<![CDATA[0.00]]>
</Amount>
</ShippingSurcharge>
<FreightItem>
<Amount>
<![CDATA[0.00]]>
</Amount>
</FreightItem>
<PerProductShipping>
</PerProductShipping>
<RelatedProducts length="0">
</RelatedProducts>
<NumberOfRelatedProductsToDisplay>4</NumberOfRelatedProductsToDisplay>
<CrossSellProducts length="0">
</CrossSellProducts>
<Size>
<![CDATA[]]>
</Size>
<CallEmailForPricing>FALSE_VALUE</CallEmailForPricing>
<CallEmailForPricingDisplayPrice>FALSE_VALUE</CallEmailForPricingDisplayPrice>
<UserDefinedFields length="10">
<UserDefinedField>
<Label>
<![CDATA[]]>
</Label>
<Value>
<![CDATA[]]>
</Value>
</UserDefinedField>
<UserDefinedField>
<Label>
<![CDATA[]]>
</Label>
<Value>
<![CDATA[]]>
</Value>

```

```
</UserDefinedField>
<UserDefinedField>
<Label>
<![CDATA[]]>
</Label>
<Value>
<![CDATA[]]>
</Value>
</UserDefinedField>
<UserDefinedField>
<Label>
<![CDATA[]]>
</Label>
<Value>
<![CDATA[]]>
</Value>
</UserDefinedField>
<UserDefinedField>
<Label>
<![CDATA[]]>
</Label>
<Value>
<![CDATA[]]>
</Value>
</UserDefinedField>
<UserDefinedField>
<Label>
<![CDATA[]]>
</Label>
<Value>
<![CDATA[]]>
</Value>
</UserDefinedField>
<UserDefinedField>
<Label>
<![CDATA[]]>
</Label>
<Value>
<![CDATA[]]>
</Value>
</UserDefinedField>
<UserDefinedField>
<Label>
<![CDATA[]]>
</Label>
<Value>
<![CDATA[]]>
</Value>
</UserDefinedField>
<UserDefinedField>
<Label>
```

```

<![CDATA[]]>
</Label>
<Value>
<![CDATA[]]>
</Value>
</UserDefinedField>
<UserDefinedField>
<Label>
<![CDATA[]]>
</Label>
<Value>
<![CDATA[]]>
</Value>
</UserDefinedField>
<UserDefinedField>
<Label>
<![CDATA[]]>
</Label>
<Value>
<![CDATA[]]>
</Value>
</UserDefinedField>
</UserDefinedFields>
<Personalizations length="1">
<Question id="6">
<Languages length="1">
<LanguageData charset="UTF-8" name="English" id="1">
<Name>
<![CDATA[Select Bundle Sizes]]>
</Name>
<InlineHelp>
<![CDATA[]]>
</InlineHelp>
</LanguageData>
</Languages>
<Type>CUSTOM_FIELD_DROP_DOWN_TYPE</Type>
<Size>3</Size>
<MaxCharacters>0</MaxCharacters>
<Required>TRUE_VALUE</Required>
<SortOrder>0</SortOrder>
<TrackInventory>FALSE_VALUE</TrackInventory>
<Enabled>TRUE_VALUE</Enabled>
<IgnoreInBestSellerReport>FALSE_VALUE</IgnoreInBestSellerReport>

```



```

<RequiredQuantity>
</RequiredQuantity>
<Answers length="8">
<Answer id="5">
<Languages length="1">
<LanguageData charset="UTF-8" name="English" id="1">
<Name>
<![CDATA[100pc L ]]>
</Name>
</LanguageData>
</Languages>
<Price>
<Amount>
<![CDATA[120.00]]>
</Amount>
</Price>
<Sku>
<![CDATA[100pc L]]>
</Sku>
<Enabled>TRUE_VALUE</Enabled>
<Default>FALSE_VALUE</Default>
<SortOrder>5</SortOrder>
<PriceType>PRODUCT_PERSONALIZATION_ANSWER_PRICE_TYPE_FLAT</PriceType>
<Weight>
<Amount>10.0000</Amount>
<Units>LBS</Units>
</Weight>
<Cost>
<Amount>0.00</Amount>
</Cost>
<InventoryLevel>0</InventoryLevel>
<LowInventoryNotifyLevel>0</LowInventoryNotifyLevel>
</Answer>
<Answer id="6">
<Languages length="1">
<LanguageData charset="UTF-8" name="English" id="1">
<Name>
<![CDATA[25pc L ]]>
</Name>
</LanguageData>
</Languages>
<Price>
<Amount>

```

```
<![CDATA[33.00]]>
</Amount>
</Price>
<Sku>
<![CDATA[]]>
</Sku>
<Enabled>TRUE_VALUE</Enabled>
<Default>FALSE_VALUE</Default>
<SortOrder>1</SortOrder>
<PriceType>PRODUCT_PERSONALIZATION_ANSWER_PRICE_TYPE_FLAT</PriceType>
<Weight>
<Amount>2.0000</Amount>
<Units>LBS</Units>
</Weight>
<Cost>
<Amount>0.00</Amount>
</Cost>
<InventoryLevel>0</InventoryLevel>
<LowInventoryNotifyLevel>0</LowInventoryNotifyLevel>
</Answer>
<Answer id="7">
<Languages length="1">
<LanguageData charset="UTF-8" name="English" id="1">
<Name>
<![CDATA[50pc L]]>
</Name>
</LanguageData>
</Languages>
<Price>
<Amount>
<![CDATA[62.00]]>
</Amount>
</Price>
<Sku>
<![CDATA[]]>
</Sku>
<Enabled>TRUE_VALUE</Enabled>
<Default>FALSE_VALUE</Default>
<SortOrder>3</SortOrder>
<PriceType>PRODUCT_PERSONALIZATION_ANSWER_PRICE_TYPE_FLAT</PriceType>
<Weight>
<Amount>0.0000</Amount>
<Units>LBS</Units>
```

```

</Weight>
<Cost>
<Amount>0.00</Amount>
</Cost>
<InventoryLevel>0</InventoryLevel>
<LowInventoryNotifyLevel>0</LowInventoryNotifyLevel>
</Answer>
<Answer id="8">
<Languages length="1">
<LanguageData charset="UTF-8" name="English" id="1">
<Name>
<![CDATA[500pc L]]>
</Name>
</LanguageData>
</Languages>
<Price>
<Amount>
<![CDATA[490.00]]>
</Amount>
</Price>
<Sku>
<![CDATA[]]>
</Sku>
<Enabled>TRUE_VALUE</Enabled>
<Default>FALSE_VALUE</Default>
<SortOrder>7</SortOrder>
<PriceType>PRODUCT_PERSONALIZATION_ANSWER_PRICE_TYPE_FLAT</PriceType>
<Weight>
<Amount>0.0000</Amount>
<Units>LBS</Units>
</Weight>
<Cost>
<Amount>0.00</Amount>
</Cost>
<InventoryLevel>0</InventoryLevel>
<LowInventoryNotifyLevel>0</LowInventoryNotifyLevel>
</Answer>
<Answer id="9">
<Languages length="1">
<LanguageData charset="UTF-8" name="English" id="1">
<Name>
<![CDATA[100pc XL]]>
</Name>

```

```

</LanguageData>
</Languages>
<Price>
<Amount>
<![CDATA[125.00]]>
</Amount>
</Price>
<Sku>
<![CDATA[]]>
</Sku>
<Enabled>TRUE_VALUE</Enabled>
<Default>FALSE_VALUE</Default>
<SortOrder>6</SortOrder>
<PriceType>PRODUCT_PERSONALIZATION_ANSWER_PRICE_TYPE_FLAT</PriceType>
<Weight>
<Amount>0.0000</Amount>
<Units>LBS</Units>
</Weight>
<Cost>
<Amount>0.00</Amount>
</Cost>
<InventoryLevel>0</InventoryLevel>
<LowInventoryNotifyLevel>0</LowInventoryNotifyLevel>
</Answer>
<Answer id="10">
<Languages length="1">
<LanguageData charset="UTF-8" name="English" id="1">
<Name>
<![CDATA[25pc XL]]>
</Name>
</LanguageData>
</Languages>
<Price>
<Amount>
<![CDATA[35.00]]>
</Amount>
</Price>
<Sku>
<![CDATA[]]>
</Sku>
<Enabled>TRUE_VALUE</Enabled>
<Default>FALSE_VALUE</Default>
<SortOrder>2</SortOrder>

```

```

<PriceType>PRODUCT_PERSONALIZATION_ANSWER_PRICE_TYPE_FLAT</PriceType>
<Weight>
<Amount>0.0000</Amount>
<Units>LBS</Units>
</Weight>
<Cost>
<Amount>0.00</Amount>
</Cost>
<InventoryLevel>0</InventoryLevel>
<LowInventoryNotifyLevel>0</LowInventoryNotifyLevel>
</Answer>
<Answer id="11">
<Languages length="1">
<LanguageData charset="UTF-8" name="English" id="1">
<Name>
<![CDATA[400pc XL]]>
</Name>
</LanguageData>
</Languages>
<Price>
<Amount>
<![CDATA[400.00]]>
</Amount>
</Price>
<Sku>
<![CDATA[]]>
</Sku>
<Enabled>TRUE_VALUE</Enabled>
<Default>FALSE_VALUE</Default>
<SortOrder>8</SortOrder>
<PriceType>PRODUCT_PERSONALIZATION_ANSWER_PRICE_TYPE_FLAT</PriceType>
<Weight>
<Amount>0.0000</Amount>
<Units>LBS</Units>
</Weight>
<Cost>
<Amount>0.00</Amount>
</Cost>
<InventoryLevel>0</InventoryLevel>
<LowInventoryNotifyLevel>0</LowInventoryNotifyLevel>
</Answer>
<Answer id="12">
<Languages length="1">

```

```
<LanguageData charset="UTF-8" name="English" id="1">
  <Name>
    <![CDATA[50pc XL]]>
  </Name>
</LanguageData>
</Languages>
<Price>
  <Amount>
    <![CDATA[64.00]]>
  </Amount>
</Price>
<Sku>
  <![CDATA[]]>
</Sku>
<Enabled>TRUE_VALUE</Enabled>
<Default>FALSE_VALUE</Default>
<SortOrder>4</SortOrder>
<PriceType>PRODUCT_PERSONALIZATION_ANSWER_PRICE_TYPE_FLAT</PriceType>
<Weight>
  <Amount>0.0000</Amount>
  <Units>LBS</Units>
</Weight>
<Cost>
  <Amount>0.00</Amount>
</Cost>
<InventoryLevel>0</InventoryLevel>
<LowInventoryNotifyLevel>0</LowInventoryNotifyLevel>
</Answer>
</Answers>
</Question>
</Personalizations>
<PhotoGroups length="1">
  <PhotoGroup id="46">
    <Photos length="3">
      <Photo id="153">
        <Flag>MAIN_PHOTO_FLAG</Flag>
        <LocalFile>
          <Name>
            <![CDATA[153.jpg]]>
          </Name>
          <Extension>jpg</Extension>
          <Data>
          </Data>
        </LocalFile>
      </Photo>
    </Photos>
  </PhotoGroup>
</PhotoGroups>

```

```

</LocalFile>
<Languages length="1">
<LanguageData charset="UTF-8" name="English" id="1">
<Caption>
<![CDATA[]]>
</Caption>
<AltTitle>
<![CDATA[]]>
</AltTitle>
</LanguageData>
</Languages>
</Photo>
<Photo id="152">
<Flag>POPUP_PHOTO_FLAG</Flag>
<LocalFile>
<Name>
<![CDATA[152.jpg]]>
</Name>
<Extension>jpg</Extension>
<Data>
</Data>
</LocalFile>
<Languages length="1">
<LanguageData charset="UTF-8" name="English" id="1">
</LanguageData>
</Languages>
</Photo>
<Photo id="154">
<Flag>THUMBNAIL_PHOTO_FLAG</Flag>
<LocalFile>
<Name>
<![CDATA[154.jpg]]>
</Name>
<Extension>jpg</Extension>
<Data>
</Data>
</LocalFile>
<Languages length="1">
<LanguageData charset="UTF-8" name="English" id="1">
<AltTitle>
<![CDATA[]]>
</AltTitle>
</LanguageData>

```

```

</Languages>
</Photo>
</Photos>
</PhotoGroup>
</PhotoGroups>
<OptionGroups length="0">
</OptionGroups>
<OptionSets length="0">
</OptionSets>
<CustomPricing type="">
</CustomPricing>
<DownloadFiles length="0">
</DownloadFiles>
<Taxable>TRUE_VALUE</Taxable>
<Featured>FALSE_VALUE</Featured>
<ShippingExempt>FALSE_VALUE</ShippingExempt>
<EligibleForFreeShipping>FALSE_VALUE</EligibleForFreeShipping>
<GiftWrappingAvailable>FALSE_VALUE</GiftWrappingAvailable>
<EligibleForRewardPoints>FALSE_VALUE</EligibleForRewardPoints>
<AllowFileUploads>FALSE_VALUE</AllowFileUploads>
<EligibleForSubscriptionBilling>TRUE_VALUE</EligibleForSubscriptionBilling>
<SubscriptionPrice>
<Amount>
<![CDATA[0.00]]>
</Amount>
</SubscriptionPrice>
<UseEmailReminder>FALSE_VALUE</UseEmailReminder>
<EmailReminders length="0">
</EmailReminders>
<MinimumOrderQuantity>0</MinimumOrderQuantity>
<MaximumOrderQuantity>0</MaximumOrderQuantity>
<SubscriptionShippingFee>
<Amount>
<![CDATA[0.00]]>
</Amount>
</SubscriptionShippingFee>
<AllowSubscriptionLimit>FALSE_VALUE</AllowSubscriptionLimit>
<SubscriptionLimit>0</SubscriptionLimit>
<Condition>new</Condition>
<Expiration>
<UnixTimeStamp>
</UnixTimeStamp>
<Day>01</Day>

```



```
<Month>01</Month>
<Year>1970</Year>
<Hour>05</Hour>
<Minute>30</Minute>
<Second>00</Second>
</Expiration>
<ProductType>
<![CDATA[]]>
</ProductType>
<Isbn>
<![CDATA[]]>
</Isbn>
<EmailAutoResponders length="0">
</EmailAutoResponders>
<Shopzilla>
<CategoryIdentification>
<![CDATA[]]>
</CategoryIdentification>
<Condition>SHOPZILLA_CONDITION_TYPE_NEW</Condition>
</Shopzilla>
<CouponsAvailable length="0">
</CouponsAvailable>
<ProductReviews>
</ProductReviews>
<SetupFee>
<Amount>
<![CDATA[0.00]]>
</Amount>
</SetupFee>
<SetupFeeType>PRODUCT_SETUP_FEE_TYPE_SINGLE</SetupFeeType>
<TaxableHst>TRUE_VALUE</TaxableHst>
<TaxableGst>TRUE_VALUE</TaxableGst>
<TaxablePst>TRUE_VALUE</TaxablePst>
<UseFacebook>TRUE_VALUE</UseFacebook>
<FacebookLinkType>FACEBOOK_LINK_TYPE_VIEW_MORE_DETAILS</FacebookLinkType>
<QuickbooksId>
</QuickbooksId>
<QuickbooksSessionId>
</QuickbooksSessionId>
<StoneEdgeExported>FALSE_VALUE</StoneEdgeExported>
<ProductGroupId>0</ProductGroupId>
<IgnoreDefaultImages>FALSE_VALUE</IgnoreDefaultImages>
```

```

<UseRegularTeaserAndDescriptionForMobile>FALSE_VALUE</UseRegularTeaserAndDescriptionForMobile>
<AllowLowerPriceRequest>FALSE_VALUE</AllowLowerPriceRequest>
<CanonicalUrl>
<![CDATA[http://www.toolsfortile.com/Sigma-Round-Edge-Sponges.html]]>
</CanonicalUrl>
<SearchPriority>
<![CDATA[]]>
</SearchPriority>
<ShowMsrpAndHideRetailPrice>FALSE_VALUE</ShowMsrpAndHideRetailPrice>
<RequiresCustomOrderCompletePage >FALSE_VALUE</RequiresCustomOrderCompletePage
>
<CustomOrderCompleteId>
<![CDATA[]]>
</CustomOrderCompleteId>
<DisplayAddThisButton>FALSE_VALUE</DisplayAddThisButton>
<Attachments>
</Attachments>
<TemplateLayout>Product Detail</TemplateLayout>
<InventoryBundleProducts>
</InventoryBundleProducts>
<FilterAttributes>
</FilterAttributes>
<RestrictedShippingStates>
</RestrictedShippingStates>
<NumberOfItemsPerBox>0</NumberOfItemsPerBox>
<GoogleProductsDescription>
<![CDATA[]]>
</GoogleProductsDescription>
<InternationalMailType>
</InternationalMailType>
<InternationalMailType2>
</InternationalMailType2>
<InternationalMailType3>
</InternationalMailType3>
<InternationalMailType4>
</InternationalMailType4>
<InternationalMailType5>
</InternationalMailType5>
<PasswordProtected>FALSE_VALUE</PasswordProtected>
<Password>
<![CDATA[]]>
</Password>

```

```
<CustomFee>
<Languages length="1">
<LanguageData charset="UTF-8" name="English" id="1">
<Name>
<![CDATA[]]>
</Name>
</LanguageData>
</Languages>
<Fee>
<Amount>0.00</Amount>
</Fee>
<Type>
<![CDATA[single]]>
</Type>
</CustomFee>
<SearchTerms>
<![CDATA[]]>
</SearchTerms>
<MPN>
<![CDATA[]]>
</MPN>
<Brand>
<![CDATA[]]>
</Brand>
<RedirectURL>
<![CDATA[]]>
</RedirectURL>
<GoogleProductsCategory>
<![CDATA[0]]>
</GoogleProductsCategory>
<GoogleAvailability>
<![CDATA[]]>
</GoogleAvailability>
<GoogleGender>
<![CDATA[FROOGLE_GENDER_MALE]]>
</GoogleGender>
<GoogleAgeGroup>
<![CDATA[FROOGLE_AGE_GROUP_ADULT]]>
</GoogleAgeGroup>
<GooglePlusOneEnabled>FALSE_VALUE</GooglePlusOneEnabled>
<IncludeInBingProductFeed>TRUE_VALUE</IncludeInBingProductFeed>
<IncludeInGoogleProductFeed>TRUE_VALUE</IncludeInGoogleProductFeed>
<SlugStyle>
```

```

<![CDATA[auto]]>
</SlugStyle>
<UsePinterest>
<![CDATA[TRUE_VALUE]]>
</UsePinterest>
<EchoFreightClass>
</EchoFreightClass>
<EchoFreightPalletQuantity>0</EchoFreightPalletQuantity>
<SoldInMultiplesOf>0</SoldInMultiplesOf>
<treatVariantsAsMainLevelInItemsInQb>N</treatVariantsAsMainLevelInItemsInQb>
<includeProductInAdditionToVariantsInQbOrderXml>Y</includeProductInAdditionToVariantsInQbOrderXml>
<ThisProductHasAUniqueIdentifier>TRUE_VALUE</ThisProductHasAUniqueIdentifier>
</Product>
</List>
</Response>

```

Product List Sample PHP Script

This is a sample PHP script of the Product List used in the API:

```

<?php
//You must have PHP with CURL installed on your server for this example.
$url = ; //insert your store's connection URL between the quotation marks to the left. The
connection URL can be found in Settings > Store API
$goDaddy = false; //if your host is Go Daddy, replace 'false' with 'true' to the left.
$curlProxy = 0; //if you have to use a proxy for curl, specify it to the left
$username = ; //insert your API username. This can be found in Settings > Store API. This value
can not be blank.
$password = ; //insert your API password. This can be found in Settings > Store API. This value
can not be blank.
$storeName = ; //insert your API store name. This can be found in Settings > Store API. This
value can not be blank.
$key = ; //insert your API XML key. This can be found in Settings > Store API. This value can not
be blank.
$limit = 10; //limit this request to retrieve 10 categories by default. Change this value if you want to
get more/less categories at a time.
$skip = 0; //make the request ignore 0 categories when fetching the results. Change this value if
you want the API to skip more/less categories.

$curl = curl_init();
curl_setopt($curl, CURLOPT_URL, $url);

```

```

curl_setopt($curl, CURLOPT_HEADER, false);
curl_setopt($curl, CURLOPT_PORT, '443');
curl_setopt($curl, CURLOPT_SSL_VERIFYHOST, true);
curl_setopt($curl, CURLOPT_SSL_VERIFYPEER, false);
curl_setopt($curl, CURLOPT_USERAGENT, $_SERVER['HTTP_USER_AGENT']);
curl_setopt($curl, CURLOPT_RETURNTRANSFER, true);
curl_setopt($curl, CURLOPT_TIMEOUT, 30);

if($goDaddy === true){
    curl_setopt($curl, CURLOPT_HTTPPROXYTUNNEL, TRUE);
    curl_setopt($curl, CURLOPT_PROXYTYPE, CURLPROXY_HTTP);
    if($curlProxy) {
        curl_setopt($curl, CURLOPT_PROXY, $curlProxy);
    }
    curl_setopt($curl, CURLOPT_SSL_VERIFYPEER, FALSE);
}

$xml = '<?xml version="1.0" encoding="utf-8"?>
<Request version="1.0">
    <Authentication>
        <Username>' . $username . '</Username>
        <Password>' . $password . '</Password>
        <StoreName>' . $storeName . '</StoreName>
        <XmlKey>' . $key . '</XmlKey>
    </Authentication>
    <Action>ACTION_TYPE_PRODUCT_LIST</Action>
    <Limit>' . $limit . '</Limit>
    <Skip>' . $skip . '</Skip>
    <SearchCriteria type="Like">
        <Names />
        <Ids />
        <Skus />
        <Upcs />
    </SearchCriteria>
</Request>';
curl_setopt($curl, CURLOPT_POSTFIELDS, $xml);

$response = curl_exec($curl);
if(false === $response){
    $err = curl_error($curl);
    $errno = curl_errno($curl);
    print 'cURL error ' . $errno . ': ' . $err;
} else {
    //print the response to screen and exit. $response contains the XML message received from the
    API. The rest is up to you.

```

```

header("Expires: Mon, 30 Oct 1993 07:30:00 GMT");
header("Last-Modified:" . gmdate('D, d M Y H:i:s'). "GMT");
header("Cache-Control: no-cache, must-revalidate");
header("Pragma: no-cache");
header("Content-Type: text/xml; charset=utf-i");
print $response;
}
curl_close($curl);

```

Product Edit Request

API: Product Edit Request

Below is an example of a Product Edit Request:

```

<Request version="1.0">
  <Authentication>
    <Username><![CDATA[username]]></Username>
    <Password><![CDATA[password]]></Password>
    <StoreName><![CDATA[storename]]></StoreName>
    <XMLKey><![CDATA[xmlkey]]></XMLKey>
  </Authentication>
  <Action>ACTION_TYPE_PRODUCT_EDIT</Action>
  <List length="1">
    <Product id="1">
      <Languages length="2">
        <LanguageData charset="ISO-8859-1" id="1">
          <Name><![CDATA[Test Product]]></Name>
          <Teaser><![CDATA[Teaser]]></Teaser>
          <Description><![CDATA[Description]]></Description>
          <CallEmailForPricingDisplay><![CDATA[Call/Email For
Pricing]]></CallEmailForPricingDisplay>
          <MetaTitle><![CDATA[Meta Title]]></MetaTitle>
          <MetaDescription><![CDATA[Meta Description]]></MetaDescription>
          <MetaKeywords><![CDATA[Meta Keywords]]></MetaKeywords>
          <MobileTeaser><![CDATA[Mobile Teaser]]></MobileTeaser>
          <MobileDescription><![CDATA[Mobile Description]]></MobileDescription>
          <CustomTab1Name><![CDATA[Details]]></CustomTab1Name>
          <CustomTab1HTML><![CDATA[Handles Extremely Well:<br /><ul><li>Under
water</li><li>High temperatures</li><li>Low temperatures</li></ul>]]></CustomTab1HTML>
          <CustomTab2Name><![CDATA[Warranty]]></CustomTab2Name>
          <CustomTab2HTML><![CDATA[Comes with standard 2 year mfg
warranty.]]></CustomTab2HTML>
          <Slug><![CDATA[custom_slug]]></Slug>
        </LanguageData>
      </Languages>
    </Product>
  </List>
</Request>

```

```

<Name><![CDATA[Test Product (greek)]></Name>
<Teaser><![CDATA[Teaser (greek)]></Teaser>
<Description><![CDATA[Description (greek)]></Description>
<CallEmailForPricingDisplay><![CDATA[Call/Email For Pricing
(greek)]]></CallEmailForPricingDisplay>
<MetaTitle><![CDATA[Meta Title (greek)]></MetaTitle>
<MetaDescription><![CDATA[Meta Description (greek)]></MetaDescription>
<MetaKeywords><![CDATA[Meta Keywords (greek)]></MetaKeywords>
<MobileTeaser><![CDATA[Mobile Teaser (greek)]></MobileTeaser>
<MobileDescription><![CDATA[Mobile Description (greek)]></MobileDescription>
<CustomTab1Name><![CDATA[Details (greek)]></CustomTab1Name>
<CustomTab1HTML><![CDATA[Handles Extremely Well (greek):<br /><ul><li>Under
water</li><li>High temperatures</li><li>Low temperatures</li></ul>]]></CustomTab1HTML>
<CustomTab2Name><![CDATA[Warranty (greek)]></CustomTab2Name>
<CustomTab2HTML><![CDATA[Comes with standard 2 year mfg warranty.
(greek)]]></CustomTab2HTML>
<Slug><![CDATA[custom_slug_greek]]></Slug>
</LanguageData>
</Languages>
<SKU><![CDATA[sku-1]]></SKU>
<UPC><![CDATA[upc-1]]></UPC>
<MSRP>
  <Amount><![CDATA[2.50]]></Amount>
</MSRP>
<Price>
  <Amount><![CDATA[5.00]]></Amount>
</Price>
<SalesPrice>
  <Amount><![CDATA[2.00]]></Amount>
</SalesPrice>
<SaleStart>
  <UnixTimeStamp>1281675600</UnixTimeStamp>
  <Day>13</Day>
  <Month>08</Month>
  <Year>2010</Year>
  <Hour>00</Hour>
  <Minute>00</Minute>
  <Second>00</Second>
</SaleStart>
<SaleEnd>
  <UnixTimeStamp>1281675600</UnixTimeStamp>
  <Day>13</Day>
  <Month>08</Month>
  <Year>2010</Year>
  <Hour>00</Hour>

```

```

    <Minute>00</Minute>
    <Second>00</Second>
</SaleEnd>
<UseSalesPrice>Boolean Types</UseSalesPrice>
<CustomerMustAddToCartToSeeSalesPrice>Boolean
Types</CustomerMustAddToCartToSeeSalesPrice>
<DisplayMSRPAndSavingsFormat>Boolean Types</DisplayMSRPAndSavingsFormat>
<Categories length="1">
  <Category id="1">
    <Languages length="2">
      <LanguageData charset="ISO-8859-1" id="1">
        <Name><![CDATA[Test Category]]></Name>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <Name><![CDATA[Test Category (greek)]]></Name>
      </LanguageData>
    </Languages>
  </Category>
</Categories>
<Vendors length="1">
  <Vendor id="1">
    <Company><![CDATA[Test Vendor]]></Company>
  </Vendor>
</Vendors>
<DisplayFacebookLink>Boolean Types</DisplayFacebookLink>
<DisplayTwitterLink>Boolean Types</DisplayTwitterLink>
<CustomProductLists length="1">
  <CustomProductList id="1">
    <Name><![CDATA[Test Custom Product List]]></Name>
    <ListItems length="1">
      <ListItem id="1">
        <Name><![CDATA[Test Custom Product List Item]]></Name>
      </ListItem>
    </ListItems>
  </CustomProductList>
</CustomProductLists>
<TwoCheckoutId><![CDATA[111]]></TwoCheckoutId>
<GoogleWebsiteOptimizer>
  <Enabled>Boolean Types</Enabled>
  <TestVariants length="1">
    <TestVariant>Google Website Optimizer Variant Types</TestVariant>
  </TestVariants>
</GoogleWebsiteOptimizer>
<Available>Boolean Types</Available>
<Discontinued>Boolean Types</Discontinued>

```



```

<TrackInventory>Product Inventory Tracking Types</TrackInventory>
<InventoryLevel><![CDATA[5]]></InventoryLevel>
<LowInventoryNotifyLevel><![CDATA[2]]></LowInventoryNotifyLevel>
<InventoryNotified>Boolean Types</InventoryNotified>
<Cost>
  <Amount><![CDATA[1.50]]></Amount>
</Cost>
<BundledProducts length="1">
  <BundledProduct id="1">
    <Languages length="2">
      <LanguageData charset="ISO-8859-1" id="1">
        <Name><![CDATA[Bundled Product]]></Name>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <Name><![CDATA[Bundled Product (german)]]></Name>
      </LanguageData>
    </Languages>
  </BundledProduct>
</BundledProducts>
<BundleDiscount>5</BundleDiscount>
<Weight>
  <Amount><![CDATA[5]]></Amount>
  <Units>LBS/KGS/OZ</Units>
</Weight>
<BoxWidth><![CDATA[5.00]]></BoxWidth>
<BoxHeight><![CDATA[6.00]]></BoxHeight>
<BoxLength><![CDATA[7.00]]></BoxLength>
<BoxGirth><![CDATA[8.00]]></BoxGirth>
<FirstClassMailType>USPS First Class Mail Types</FirstClassMailType>
<ContainerType>USPS Container Types</ContainerType>
<MultiShipBox>Y/N</MultiShipBox>
<Weight2>
  <Amount><![CDATA[5]]></Amount>
  <Units>LBS/KGS/OZ</Units>
</Weight2>
<Width2><![CDATA[5.00]]></Width2>
<Height2><![CDATA[6.00]]></Height2>
<Length2><![CDATA[7.00]]></Length2>
<BoxGirth2><![CDATA[8.00]]></BoxGirth2>
<FirstClassMailType2>USPS First Class Mail Types</FirstClassMailType2>
<ContainerType2>USPS Container Types</ContainerType2>
<Weight3>
  <Amount><![CDATA[5]]></Amount>
  <Units>LBS/KGS/OZ</Units>
</Weight3>

```

```

<Width3><![CDATA[5.00]]></Width3>
<Height3><![CDATA[6.00]]></Height3>
<Length3><![CDATA[7.00]]></Length3>
<BoxGirth3><![CDATA[8.00]]></BoxGirth3>
<FirstClassMailType3>USPS First Class Mail Types</FirstClassMailType3>
<ContainerType3>USPS Container Types</ContainerType3>
<Weight4>
  <Amount><![CDATA[5]]></Amount>
  <Units>LBS/KGS/OZ</Units>
</Weight4>
<Width4><![CDATA[5.00]]></Width4>
<Height4><![CDATA[6.00]]></Height4>
<Length4><![CDATA[7.00]]></Length4>
<BoxGirth4><![CDATA[8.00]]></BoxGirth4>
<FirstClassMailType4>USPS First Class Mail Types</FirstClassMailType4>
<ContainerType4>USPS Container Types</ContainerType4>
<Weight5>
  <Amount><![CDATA[5]]></Amount>
  <Units>LBS/KGS/OZ</Units>
</Weight5>
<Width5><![CDATA[5.00]]></Width5>
<Height5><![CDATA[6.00]]></Height5>
<Length5><![CDATA[7.00]]></Length5>
<BoxGirth5><![CDATA[8.00]]></BoxGirth5>
<FirstClassMailType5>USPS First Class Mail Types</FirstClassMailType5>
<ContainerType5>USPS Container Types</ContainerType5>
<FreightClass>Freight Classes</FreightClass>
<SouthEasternFreightClass>South Eastern Freight Classes</SouthEasternFreightClass>
<ABFFreightClass>ABF Freight Classes</ABFFreightClass>
<UPSFreightClass>UPS Freight Classes</UPSFreightClass>
<UPSFreightNumberOfPieces><![CDATA[4]]></UPSFreightNumberOfPieces>

<UPSFreightNumberOfHandlingUnits><![CDATA[0.75]]></UPSFreightNumberOfHandlingUnits>
  <UPSFreightPackaging>UPS Freight Packaging Types</UPSFreightPackaging>
  <ShippingSurcharge>
    <Amount><![CDATA[.33]]></Amount>
  </ShippingSurcharge>
  <FreightItem>
    <Amount><![CDATA[5.00]]></Amount>
  </FreightItem>
  <PerProductShipping>
    <Options length="2">
      <Option zoneId="1">
        <ShippingOption><![CDATA[Option 1]]></ShippingOption>
        <PricePerQuantity>

```

```

        <Amount><![CDATA[1.50]]></Amount>
    </PricePerQuantity>
    <NotApplicable>Boolean Types</NotApplicable>
</Option>
</Options>
</PerProductShipping>
<RelatedProducts length="1">
    <RelatedProduct id="1">
        <Languages>
            <LanguageData charset="ISO-8859-1" id="1">
                <Name><![CDATA[Related Product]]></Name>
            </LanguageData>
            <LanguageData charset="UTF-8" id="2">
                <Name><![CDATA[Related Product (greek)]]></Name>
            </LanguageData>
        </Languages>
    </RelatedProduct>
</RelatedProducts>

<NumberOfRelatedProductsToDisplay><![CDATA[5]]></NumberOfRelatedProductsToDisplay>
<CrossSellProducts length="1">
    <CrossSellProduct id="1">
        <Languages>
            <LanguageData charset="ISO-8859-1" id="1">
                <Name><![CDATA[Cross Sell Product]]></Name>
            </LanguageData>
            <LanguageData charset="UTF-8" id="2">
                <Name><![CDATA[Cross Sell Product (greek)]]></Name>
            </LanguageData>
        </Languages>
    </CrossSellProduct>
</CrossSellProducts>
<Size><![CDATA[1"x2"x3"]]></Size>
<CallEmailForPricing>Boolean Types</CallEmailForPricing>
<CallEmailForPricingDisplayPrice>Boolean Types</CallEmailForPricingDisplayPrice>
<UserDefinedFields length="2">
    <UserDefinedField>
        <Label><![CDATA[UDF 1]]></Label>
        <Value><![CDATA[UDF Value 1]]></Value>
    </UserDefinedField>
    <UserDefinedField>
        <Label><![CDATA[UDF 2]]></Label>
        <Value><![CDATA[UDF Value 2]]></Value>
    </UserDefinedField>
</UserDefinedFields>

```

```

<Personalizations length="1">
  <Question id="1">
    <Languages>
      <LanguageData charset="ISO-8859-1" id="1">
        <Name><![CDATA[Question 1]]></Name>
        <HelperText><![CDATA[Answer this question to the best of your
ability]]></HelperText>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <Name><![CDATA[Question 1 (greek)]]></Name>
        <HelperText><![CDATA[Answer this question to the best of your ability in
Greek]]></HelperText>
      </LanguageData>
    </Languages>
    <Type>Personalization Types</Type>
    <Size><![CDATA[5]]></Size>
    <MaxCharacters><![CDATA[15]]></MaxCharacters>
    <Required>Boolean Types</Required>
    <SortOrder><![CDATA[1]]></SortOrder>
    <TrackInventory>Boolean Types</TrackInventory>
    <Enabled>Boolean Types</Enabled>
    <Answers length="1">
      <Answer id="1">
        <Languages length="2">
          <LanguageData charset="ISO-8859-1" id="1">
            <Name><![CDATA[Answer 1]]></Name>
          </LanguageData>
          <LanguageData charset="UTF-8" id="2">
            <Name><![CDATA[Answer 1 (greek)]]></Name>
          </LanguageData>
        </Languages>
        <Price>
          <Amount><![CDATA[2.00]]></Amount>
        </Price>
        <CustomPricing type="Customer Group Discount Types">
          <CustomerGroupPricing>
            <CustomerGroups length="2">
              <CustomerGroup id="1">
                <Name><![CDATA[Customer Group 1]]></Name>
                <Price>
                  <Amount><![CDATA[10.00]]></Amount>
                </Price>
              </CustomerGroup>
              <CustomerGroup id="2">
                <Name><![CDATA[Customer Group 2]]></Name>
              </CustomerGroup>
            </CustomerGroups>
          </CustomerGroupPricing>
        </CustomPricing>
      </Answer>
    </Answers>
  </Question>
</Personalizations>

```

```

        <Price>
            <Amount><![CDATA[15.00]]></Amount>
        </Price>
    </CustomerGroup>
</CustomerGroups>
</CustomerGroupPricing>
</CustomPricing>
<SKU><![CDATA[abc-123]]></SKU>
<Enabled>Boolean Types</Enabled>
<Default>Boolean Types</Default>
<SortOrder><![CDATA[1]]></SortOrder>
<PriceType>Product Personalization Answer Price Types</PriceType>
<Weight>
    <Amount><![CDATA[5]]></Amount>
    <Units>Weight Units</Units>
</Weight>
<Cost>
    <Amount><![CDATA[1.25]]></Amount>
</Cost>
<InventoryLevel><![CDATA[5]]></InventoryLevel>
<LowInventoryNotifyLevel><![CDATA[2]]></LowInventoryNotifyLevel>
</Answer>
</Answers>
</Question>
</Personalizations>
<PhotoGroups length="1">
    <PhotoGroup id="1">
        <Photos length="1">
            <Photo id="1">
                <Flag>Photo Flags</Flag>
                <LocalFile>
                    <Name><![CDATA[mytest.jpg]]></Name>
                    <Extension><![CDATA[.jpg]]></Extension>
                    <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
                </LocalFile>
                <URL><![CDATA[1]]></URL>
                <Width><![CDATA[100]]></Width>
                <Height><![CDATA[200]]></Height>
                <Languages length="2">
                    <LanguageData charset="ISO-8859-1" id="1">
                        <Caption><![CDATA[Caption 1]]></Caption>
                        <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
                    </LanguageData>
                    <LanguageData charset="UTF-8" id="2">
                        <Caption><![CDATA[Caption 1 (greek)]]></Caption>

```

```

        <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
    </LanguageData>
</Languages>
</Photo>
<SortOrder></SortOrder>
</Photos>
</PhotoGroup>
</PhotoGroups>
<OptionGroups length="2">
    <OptionGroup id="1">
        <Languages length="2">
            <LanguageData charset="ISO-8859-1" id="1">
                <Name><![CDATA[Size]]></Name>
                <FirstOptionValue><![CDATA[Please Choose a Size]]></FirstOptionValue>
            </LanguageData>
            <LanguageData cahrset="UTF-8" id="2">
                <Name><![CDATA[Size (greek)]]></Name>
                <FirstOptionValue><![CDATA[Please Choose a Size (greek)]]></FirstOptionValue>
            </LanguageData>
        </Languages>
        <UseFirstOptionValue>Boolean Types</UseFirstOptionValue>
        <SortOrder><![CDATA[1]]></SortOrder>
        <Options length="2">
            <Option id="1">
                <Languages length="2">
                    <LanguageData charset="ISO-8859-1" id="1">
                        <Name><![CDATA[Small]]></Name>
                    </LanguageData>
                    <LanguageData cahrset="UTF-8" id="2">
                        <Name><![CDATA[Small (greek)]]></Name>
                    </LanguageData>
                </Languages>
                <SortOrder><![CDATA[2]]></SortOrder>
                <SKU><![CDATA[abc-123]]></SKU>
                <Price>
                    <Amount><![CDATA[5.00]]></Amount>
                </Price>
                <Weight>
                    <Amount><![CDATA[5]]></Amount>
                    <Units>Weight Units</Units>
                </Weight>
                <Cost>
                    <Amount><![CDATA[2.50]]></Amount>
                </Cost>
                <MSRP>

```

```

    <Amount><![CDATA[6.00]]></Amount>
</MSRP>
<Photos length="1">
  <Photo id="1">
    <Flag>Photo Flags</Flag>
    <LocalFile>
      <Name><![CDATA[mytest.jpg]]></Name>
      <Extension><![CDATA[.jpg]]></Extension>
      <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
    </LocalFile>
    <URL><![CDATA[http://www.mysite.com/myimage.jpg]]></URL>
    <Width><![CDATA[100]]></Width>
    <Height><![CDATA[200]]></Height>
    <Languages length="2">
      <LanguageData charset="ISO-8859-1" id="1">
        <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
      </LanguageData>
    </Languages>
    <AltLocation><![CDATA[http://www.corecommerce.com]]></AltLocation>
  </Photo>
</Photos>
</Option>
<Option id="2">
  <Languages length="2">
    <LanguageData charset="ISO-8859-1" id="1">
      <Name><![CDATA[Medium]]></Name>
    </LanguageData>
    <LanguageData cahrset="UTF-8" id="2">
      <Name><![CDATA[Medium (greek)]]></Name>
    </LanguageData>
  </Languages>
  <SortOrder><![CDATA[2]]></SortOrder>
  <SKU><![CDATA[abc-123]]></SKU>
  <Price>
    <Amount><![CDATA[5.00]]></Amount>
  </Price>
  <Weight>
    <Amount><![CDATA[5]]></Amount>
    <Units>Weight Units</Units>
  </Weight>
  <Cost>
    <Amount><![CDATA[2.50]]></Amount>
  </Cost>

```

```

</Cost>
<MSRP>
  <Amount><![CDATA[6.00]]></Amount>
</MSRP>
<Photos length="1">
  <Photo id="2">
    <Flag>Photo Flags</Flag>
    <LocalFile>
      <Name><![CDATA[mytest.jpg]]></Name>
      <Extension><![CDATA[.jpg]]></Extension>
      <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
    </LocalFile>
    <URL><![CDATA[http://www.mysite.com/myimage.jpg]]></URL>
    <Width><![CDATA[100]]></Width>
    <Height><![CDATA[200]]></Height>
    <Languages length="2">
      <LanguageData charset="ISO-8859-1" id="1">
        <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
      </LanguageData>
    </Languages>
    <AltLocation><![CDATA[http://www.corecommerce.com]]></AltLocation>
  </Photo>
</Photos>
</Option>
</Options>
</OptionGroup>
<OptionGroup id="2">
  <Languages length="2">
    <LanguageData charset="ISO-8859-1" id="1">
      <Name><![CDATA[Color]]></Name>
      <FirstOptionValue><![CDATA[Please Choose a Color]]></FirstOptionValue>
    </LanguageData>
    <LanguageData cahrset="UTF-8" id="2">
      <Name><![CDATA[Color (greek)]]></Name>
      <FirstOptionValue><![CDATA[Please Choose a Color
(greek)]]></FirstOptionValue>
    </LanguageData>
  </Languages>
  <UseFirstOptionValue>Boolean Types</UseFirstOptionValue>
  <SortOrder><![CDATA[2]]></SortOrder>
  <Options length="2">
    <Option id="3">

```



```

<Languages length="2">
  <LanguageData charset="ISO-8859-1" id="1">
    <Name><![CDATA[Yellow]]></Name>
  </LanguageData>
  <LanguageData cahrset="UTF-8" id="2">
    <Name><![CDATA[Yellow (greek)]]></Name>
  </LanguageData>
</Languages>
<SortOrder><![CDATA[2]]></SortOrder>
<SKU><![CDATA[abc-123]]></SKU>
<Price>
  <Amount><![CDATA[5.00]]></Amount>
</Price>
<Weight>
  <Amount><![CDATA[5]]></Amount>
  <Units>Weight Units</Units>
</Weight>
<Cost>
  <Amount><![CDATA[2.50]]></Amount>
</Cost>
<MSRP>
  <Amount><![CDATA[6.00]]></Amount>
</MSRP>
<Photos length="1">
  <Photo id="3">
    <Flag>Photo Flags</Flag>
    <LocalFile>
      <Name><![CDATA[mytest.jpg]]></Name>
      <Extension><![CDATA[.jpg]]></Extension>
      <Data>lksjfsa;lfsjals;fjskafjsa;fjasdkfasjdfadfa</Data>
    </LocalFile>
    <URL><![CDATA[http://www.mysite.com/myimage.jpg]]></URL>
    <Width><![CDATA[100]]></Width>
    <Height><![CDATA[200]]></Height>
    <Languages length="2">
      <LanguageData charset="ISO-8859-1" id="1">
        <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
      </LanguageData>
    </Languages>
    <AltLocation><![CDATA[http://www.corecommerce.com]]></AltLocation>
  </Photo>
</Photos>

```

```

</Option>
<Option id="4">
  <Languages length="2">
    <LanguageData charset="ISO-8859-1" id="1">
      <Name><![CDATA[Orange]]></Name>
    </LanguageData>
    <LanguageData cahrset="UTF-8" id="2">
      <Name><![CDATA[Orange (greek)]]></Name>
    </LanguageData>
  </Languages>
  <SortOrder><![CDATA[2]]></SortOrder>
  <SKU><![CDATA[abc-123]]></SKU>
  <Price>
    <Amount><![CDATA[5.00]]></Amount>
  </Price>
  <Weight>
    <Amount><![CDATA[5]]></Amount>
    <Units>Weight Units</Units>
  </Weight>
  <Cost>
    <Amount><![CDATA[2.50]]></Amount>
  </Cost>
  <MSRP>
    <Amount><![CDATA[6.00]]></Amount>
  </MSRP>
  <Photos length="1">
    <Photo id="4">
      <Flag>Photo Flags</Flag>
      <LocalFile>
        <Name><![CDATA[mytest.jpg]]></Name>
        <Extension><![CDATA[.jpg]]></Extension>
        <Data>lksjfsa;lfsals;fjskafjsa;fjasdkfasjdfadfa</Data>
      </LocalFile>
      <URL><![CDATA[http://www.mysite.com/myimage.jpg]]></URL>
      <Width><![CDATA[100]]></Width>
      <Height><![CDATA[200]]></Height>
      <Languages length="2">
        <LanguageData charset="ISO-8859-1" id="1">
          <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
        </LanguageData>
        <LanguageData charset="UTF-8" id="2">
          <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
        </LanguageData>
      </Languages>
      <AltLocation><![CDATA[http://www.corecommerce.com]]></AltLocation>
    </Photo>
  </Photos>
</Option>

```

```

        </Photo>
    </Photos>
</Option>
</Options>
</OptionGroup>
</OptionGroups>
<OptionSets length="1">
  <OptionSet id="1">
    <Groups length="2">
      <Group>
        <LanguageData charset="ISO-8859-1" id="1">
          <GroupName><![CDATA[Size]]></GroupName>
          <OptionName><![CDATA[Medium]]></OptionName>
        </LanguageData>
      </Group>
      <Group>
        <LanguageData charset="ISO-8859-1" id="1">
          <GroupName><![CDATA[Color]]></GroupName>
          <OptionName><![CDATA[Yellow]]></OptionName>
        </LanguageData>
      </Group>
    </Groups>
    <SKU><![CDATA[abc-123]]></SKU>
    <Price>
      <Amount><![CDATA[1.00]]></Amount>
    </Price>
    <Weight>
      <Amount><![CDATA[5.00]]></Amount>
      <Units>Weight Units</Units>
    </Weight>
    <Cost>
      <Amount><![CDATA[.75]]></Amount>
    </Cost>
    <MSRP>
      <Amount><![CDATA[6.00]]></Amount>
    </MSRP>
    <DownloadFile>
      <Name><![CDATA[download1.zip]]></Name>
      <Extension><![CDATA[zip]]></Extension>
      <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
    </DownloadFile>
    <Enabled>Boolean Types</Enabled>
    <InventoryLevel>10</InventoryLevel>
    <LowInventoryNotifyLevel>5</LowInventoryNotifyLevel>
    <Photos length="1">

```

```

<Photo id="5">
  <Flag>Photo Flags</Flag>
  <LocalFile>
    <Name><![CDATA[mytest.jpg]]></Name>
    <Extension><![CDATA[.jpg]]></Extension>
    <Data>lksjfsa;lfsals;fjskafjsa;fjasdkfasjdfadfa</Data>
  </LocalFile>
  <URL><![CDATA[http://www.mysite.com/myimage.jpg]]></URL>
  <Width><![CDATA[100]]></Width>
  <Height><![CDATA[200]]></Height>
  <Languages length="2">
    <LanguageData charset="ISO-8859-1" id="1">
      <Caption><![CDATA[Caption 1]]></Caption>
      <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
    </LanguageData>
    <LanguageData charset="UTF-8" id="2">
      <Caption><![CDATA[Caption 1 (greek)]]></Caption>
      <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
    </LanguageData>
  </Languages>
</Photo>
</Photos>
</OptionSet>
</OptionSets>
<CustomPricing type="Customer Group Discount Types">
  <CustomerGroupPricing>
    <CustomerGroups length="2">
      <CustomerGroup id="1">
        <Name><![CDATA[Customer Group 1]]></Name>
        <Price>
          <Amount><![CDATA[10.00]]></Amount>
        </Price>
      </CustomerGroup>
      <CustomerGroup id="2">
        <Name><![CDATA[Customer Group 2]]></Name>
        <Price>
          <Amount><![CDATA[15.00]]></Amount>
        </Price>
      </CustomerGroup>
    </CustomerGroups>
  </CustomerGroupPricing>
  <QuantityBasedPricing>
    <QuantityGroups length="2">
      <QuantityGroup>
        <Minimum><![CDATA[1]]></Minimum>

```

```

<Maximum><![CDATA[5]]></Maximum>
<Price>
  <Amount><![CDATA[5.00]]></Amount>
</Price>
<CustomerGroupPrices length="2">
  <CustomerGroupPrice id="1">
    <Name><![CDATA[Customer Group 1]]></Name>
    <Price>
      <Amount><![CDATA[1.00]]></Amount>
    </Price>
  </CustomerGroupPrice>
  <CustomerGroupPrice id="2">
    <Name><![CDATA[Customer Group 2]]></Name>
    <Price>
      <Amount><![CDATA[2.00]]></Amount>
    </Price>
  </CustomerGroupPrice>
</CustomerGroupPrices>
</QuantityGroup>
<QuantityGroup>
  <Minimum><![CDATA[6]]></Minimum>
  <Maximum><![CDATA[10]]></Maximum>
  <Price>
    <Amount><![CDATA[3.00]]></Amount>
  </Price>
  <CustomerGroupPrices length="2">
    <CustomerGroupPrice id="1">
      <Name><![CDATA[Customer Group 1]]></Name>
      <Price>
        <Amount><![CDATA[3.00]]></Amount>
      </Price>
    </CustomerGroupPrice>
    <CustomerGroupPrice id="2">
      <Name><![CDATA[Customer Group 2]]></Name>
      <Price>
        <Amount><![CDATA[4.00]]></Amount>
      </Price>
    </CustomerGroupPrice>
  </CustomerGroupPrices>
</QuantityGroup>
</QuantityGroups>
</QuantityBasedPricing>
</CustomPricing>
<DownloadFiles length="2">
  <DownloadFile>

```

```

    <Name><![CDATA[download1.zip]]></Name>
    <Extension><![CDATA[zip]]></Extension>
    <Data>lksjfsa;lfsals;fjskafjsa;fjasdkfasjdfadfa</Data>
  </DownloadFile>
  <DownloadFile>
    <Name><![CDATA[download2.zip]]></Name>
    <Extension><![CDATA[zip]]></Extension>
    <Data>lksjfsa;lfsals;fjskafjsa;fjasdkfasjdfadfa</Data>
  </DownloadFile>
</DownloadFiles>
<Taxable>Boolean Types</Taxable>
<Featured>Boolean Types</Featured>
<ShippingExempt>Boolean Types</ShippingExempt>
<EligibleForFreeShipping>Boolean Types</EligibleForFreeShipping>
<GiftWrappingAvailable>Boolean Types</GiftWrappingAvailable>
<EligibleForRewardPoints>Boolean Types</EligibleForRewardPoints>
<AllowFileUploads>Boolean Types</AllowFileUploads>
<EligibleForSubscriptionBilling>Boolean Types</EligibleForSubscriptionBilling>
<SubscriptionPrice>
  <Amount><![CDATA[5.00]]></Amount>
</SubscriptionPrice>
<UseEmailReminder>Boolean Types</UseEmailReminder>
<EmailReminders length="2">
  <EmailReminder>
    <Default>Boolean Types</Default>
    <Available>Boolean Types</Available>
    <Name>Email Reminder Names</Name>
  </EmailReminder>
  <EmailReminder>
    <Default>Boolean Types</Default>
    <Available>Boolean Types</Available>
    <Name>Email Reminder Names</Name>
  </EmailReminder>
</EmailReminders>
<MinimumOrderQuantity><![CDATA[5]]></MinimumOrderQuantity>
<SubscriptionShippingFee>
  <Amount><![CDATA[5.00]]></Amount>
</SubscriptionShippingFee>
<AllowSubscriptionLimit>Boolean Types</AllowSubscriptionLimit>
<SubscriptionLimit><![CDATA[5]]></SubscriptionLimit>
<Condition>Froogle Condition Types</Condition>
<Expiration>
  <UnixTimeStamp><![CDATA[111111]]></UnixTimeStamp>
  <Day><![CDATA[2]]></Day>
  <Month><![CDATA[5]]></Month>

```

```

<Year><![CDATA[2009]]></Year>
<Hour><![CDATA[12]]></Hour>
<Minute><![CDATA[22]]></Minute>
<Second><![CDATA[33]]></Second>
</Expiration>
<ProductType><![CDATA[Product Type]]></ProductType>
<ISBN><![CDATA[1234567890]]></ISBN>
<EmailAutoResponders length="2">
  <EmailAutoResponder id="1">
    <Languages length="2">
      <LanguageData charset="ISO-8859-1" id="1">
        <Name><![CDATA[Auto Responder 1]]></Name>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <Name><![CDATA[Auto Responder 1 (greek)]]></Name>
      </LanguageData>
    </Languages>
  </EmailAutoResponder>
  <EmailAutoResponder id="2">
    <Languages length="2">
      <LanguageData charset="ISO-8859-1" id="1">
        <Name><![CDATA[Auto Responder 2]]></Name>
      </LanguageData>
      <LanguageData charset="UTF-8" id="2">
        <Name><![CDATA[Auto Responder 2 (greek)]]></Name>
      </LanguageData>
    </Languages>
  </EmailAutoResponder>
</EmailAutoResponders>
<Shopzilla>
  <CategoryIdentification><![CDATA[Category Id]]></CategoryIdentification>
  <Condition>Shopzilla Condition Types</Condition>
</Shopzilla>
<CouponsAvailable length="2">
  <Coupon id="1">
    <Code><![CDATA[Coupon 1]]></Code>
    <StartDate>
      <UnixTimeStamp><![CDATA[1111111]]></UnixTimeStamp>
      <Day><![CDATA[2]]></Day>
      <Month><![CDATA[5]]></Month>
      <Year><![CDATA[2009]]></Year>
      <Hour><![CDATA[12]]></Hour>
      <Minute><![CDATA[22]]></Minute>
      <Second><![CDATA[33]]></Second>
    </StartDate>
  </Coupon>
</CouponsAvailable>

```

```

<Expiration>
  <UnixTimeStamp><![CDATA[1111111]]></UnixTimeStamp>
  <Day><![CDATA[2]]></Day>
  <Month><![CDATA[10]]></Month>
  <Year><![CDATA[2009]]></Year>
  <Hour><![CDATA[12]]></Hour>
  <Minute><![CDATA[22]]></Minute>
  <Second><![CDATA[33]]></Second>
</Expiration>
<Discount>
  <Amount><![CDATA[10.00]]></Amount>
</Discount>
</Coupon>
<Coupon id="2">
  <Code><![CDATA[Coupon 2]]></Code>
  <StartDate>
    <UnixTimeStamp><![CDATA[1111111]]></UnixTimeStamp>
    <Day><![CDATA[2]]></Day>
    <Month><![CDATA[5]]></Month>
    <Year><![CDATA[2009]]></Year>
    <Hour><![CDATA[12]]></Hour>
    <Minute><![CDATA[22]]></Minute>
    <Second><![CDATA[33]]></Second>
  </StartDate>
  <Expiration>
    <UnixTimeStamp><![CDATA[1111111]]></UnixTimeStamp>
    <Day><![CDATA[2]]></Day>
    <Month><![CDATA[10]]></Month>
    <Year><![CDATA[2009]]></Year>
    <Hour><![CDATA[12]]></Hour>
    <Minute><![CDATA[22]]></Minute>
    <Second><![CDATA[33]]></Second>
  </Expiration>
  <Discount>
    <Amount><![CDATA[15.00]]></Amount>
  </Discount>
</Coupon>
</CouponsAvailable>
<ProductReviews length="2">
  <ProductReview id="1">
    <Name><![CDATA[Jon Doe]]></Name>
    <Review><![CDATA[This product is great!]]></Review>
    <Date>
      <UnixTimeStamp><![CDATA[1111111]]></UnixTimeStamp>
      <Day><![CDATA[2]]></Day>

```



```

    <Month><![CDATA[10]]></Month>
    <Year><![CDATA[2009]]></Year>
    <Hour><![CDATA[12]]></Hour>
    <Minute><![CDATA[22]]></Minute>
    <Second><![CDATA[33]]></Second>
  </Date>
  <Approved>Boolean Types</Approved>
</ProductReview>
<ProductReview id="2">
  <Name><![CDATA[Sally Johnson]]></Name>
  <Review><![CDATA[I like this product!]]></Review>
  <Date>
    <UnixTimeStamp><![CDATA[1111111]]></UnixTimeStamp>
    <Day><![CDATA[2]]></Day>
    <Month><![CDATA[10]]></Month>
    <Year><![CDATA[2009]]></Year>
    <Hour><![CDATA[12]]></Hour>
    <Minute><![CDATA[22]]></Minute>
    <Second><![CDATA[33]]></Second>
  </Date>
  <Approved>Boolean Types</Approved>
</ProductReview>
</ProductReviews>
<UseRegularTeaserAndDescriptionForMobile>Boolean
Types</UseRegularTeaserAndDescriptionForMobile>
<MobileMainPhoto>
  <Flag>Photo Flags</Flag>
  <LocalFile>
    <Name><![CDATA[mytest.jpg]]></Name>
    <Extension><![CDATA[.jpg]]></Extension>
    <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
  </LocalFile>
  <URL><![CDATA[http://www.mysite.com/myimage.jpg]]></URL>
  <Width><![CDATA[100]]></Width>
  <Height><![CDATA[200]]></Height>
  <Languages length="2">
    <LanguageData charset="ISO-8859-1" id="1">
      <Caption><![CDATA[Caption 1]]></Caption>
      <AltTitleTag><![CDATA[Alt/Title Tag 1]]></AltTitleTag>
    </LanguageData>
    <LanguageData charset="UTF-8" id="2">
      <Caption><![CDATA[Caption 1 (greek)]]></Caption>
      <AltTitleTag><![CDATA[Alt/Title Tag 1 (greek)]]></AltTitleTag>
    </LanguageData>
  </Languages>

```

```

</MobileMainPhoto>
<MobileLargePhoto>
  <Flag>Photo Flags</Flag>
  <LocalFile>
    <Name><![CDATA[mytest.jpg]]></Name>
    <Extension><![CDATA[.jpg]]></Extension>
    <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
  </LocalFile>
  <URL><![CDATA[http://www.mysite.com/myimage.jpg]]></URL>
  <Width><![CDATA[100]]></Width>
  <Height><![CDATA[200]]></Height>
</MobileLargePhoto>
<AllowLowerPriceRequest>Boolean Types</AllowLowerPriceRequest>
<CanonicalUrl><![CDATA[http://www.mysite.com/Apple-iPhone-3G.html]]></CanonicalUrl>
<SearchPriority><![CDATA[10]]></SearchPriority>
<ShowMsrpAndHideRetailPrice>Boolean Types</ShowMsrpAndHideRetailPrice>
<RequiresCustomOrderCompletePage>Boolean
Types</RequiresCustomOrderCompletePage>
<CustomOrderCompleteId><![CDATA[456]]></CustomOrderCompleteId>
<DisplayAddThisButton>Boolean Types</DisplayAddThisButton>
<Attachments length="2">
  <Attachment id="1">
    <LocalFile>
      <Name><![CDATA[spec.pdf]]></Name>
      <Extension>pdf</Extension>
      <Data>lksjfsa;lfjsals;fjskafjsa;fjasdkfasjdfadfa</Data>
    </LocalFile>
  </Attachment>
  <Attachment id="2">
    <Url><![CDATA[http://www.mysite.com/pdf/diagram.pdf]]></Url>
  </Attachment>
</Attachments>
<TemplateLayout><![CDATA[Pre-Designed 3]]></TemplateLayout>
<InventoryBundleProducts length="1">
  <InventoryBundleProduct id="1">
    <LanguageData charset="ISO-8859-1" name="English" id="1">
      <Name><![CDATA[Inventory Bundle Product]]></Name>
    </LanguageData>
    <Quantity><![CDATA[5]]></Quantity>
  </InventoryBundleProduct>
</InventoryBundleProducts>
<FilterAttributes length="1">
  <FilterAttribute id="1">
    <LanguageData charset="ISO-8859-1" name="English" id="1">
      <Name><![CDATA[Color]]></Name>
    </LanguageData>
  </FilterAttribute>
</FilterAttributes>

```

```

</LanguageData>
<Options length="1">
  <Option id="1">
    <LanguageData charset="ISO-8859-1" name="English" id="1">
      <Name><![CDATA[Blue]]></Name>
    </LanguageData>
  </Option>
</Options>
</FilterAttribute>
</FilterAttributes>
<RestrictedShippingStates length="2">
  <State><![CDATA[Tennessee]]></State>
  <State><![CDATA[Ohio]]></State>
</RestrictedShippingStates>
<InternationalMailType>International Mail Type</InternationalMailType>
<InternationalMailType2>International Mail Type</InternationalMailType2>
<InternationalMailType3>International Mail Type</InternationalMailType3>
<InternationalMailType4>International Mail Type</InternationalMailType4>
<InternationalMailType5>International Mail Type</InternationalMailType5>
<NumberOfItemsPerBox><![CDATA[5]]></NumberOfItemsPerBox>
<GoogleProductsDescription><![CDATA[This product's "Google Products"
description]]></GoogleProductsDescription>
<PasswordProtected>Boolean Types</PasswordProtected>
<Password><![CDATA[SuperSecretPass]]></Password>
<CustomFee>
  <Languages length="1">
    <LanguageData charset="ISO-8859-1" name="English" id="1">
      <Name><![CDATA[Custom Fee]]></Name>
    </LanguageData>
  </Languages>
  <Fee>
    <Amount>5.00</Amount>
  </Fee>
  <Type>Custom Fee Types</Type>
</CustomFee>
<SearchTerms><![CDATA[Test1, Test2]]></SearchTerms>
<MPN><![CDATA[GO1234568OOGLE]]></MPN>
<Brand><![CDATA[Acme]]></Brand>
<GoogleProductsCategory><![CDATA[Apparel & Accessories]]></GoogleProductsCategory>
<GoogleAvailability>Google Availability Type</GoogleAvailability>
<GoogleGender>Google Gender Type</GoogleGender>
<GoogleAgeGroup>Google Age Group Type</GoogleAgeGroup>
<IncludeInBingProductFeed>Boolean Types</IncludeInBingProductFeed>
<IncludeInGoogleProductFeed>Boolean Types</IncludeInGoogleProductFeed>
<SlugStyle><![CDATA[customauto]]></SlugStyle>

```

```

    <UsePinterest>Boolean Types</UsePinterest>
    <EchoFreightClass>Echo Freight Classes</EchoFreightClass>
    <EchoFreightPalletQuantity><![CDATA[1]]></EchoFreightPalletQuantity>
    <SoldInMultiplesOf><![CDATA[4]]></SoldInMultiplesOf>
    < treatVariantsAsMainLevelInvItemsInQb>Boolean
Types</ treatVariantsAsMainLevelInvItemsInQb>
    < includeProductInAdditionToVariantsInQbOrderXml>Boolean
Types</ includeProductInAdditionToVariantsInQbOrderXml>
  </Product>
</List>
</Request>

```

Product Edit Response

API: Product Edit Response

This is an example of the Product Edit Response XML used in the API:

```

<?xml version="1.0" encoding="UTF-8"?>
<Response>
  <Action>ACTION_TYPE_PRODUCT_EDIT</Action>
  <Status>Status Code List</Status>
  <List length="2">
    <Product id="1">
      <Code>Status Code List</Code>
      <Message>Message List</Message>
    </Product>
    <Product id="2">
      <Code>Code List</Code>
      <Message>Message List</Message>
    </Product>
  </List>
</Response>

```

Product Delete Request

```

<Request version="1.0">
  <Authentication>
    <Username><![CDATA[admin]]></Username>
    <Password><![CDATA[Password1!]]></Password>
    <StoreName><![CDATA[sumeffectsof224]]></StoreName>
    <XMLKey><![CDATA[123]]></XMLKey>
  </Authentication>
  <Action>ACTION_TYPE_PRODUCT_DELETE</Action>

```

```
<List length="2">
  <Product sku="ABC"></Product>
  <Product id="1109"></Product>
</List>
</Request>
```

Product Delete Response

Response:

```
<?xml version="1.0" encoding="UTF-8"?>
<Response>
<Action>ACTION_TYPE_PRODUCT_DELETE</Action>
<Status>SUCCESS_CODE</Status>
<Code>
</Code>
<Messages>
</Messages>
<List length="1">
  < id="">
<Code>100</Code>
<Message>
<![CDATA[]]>
</Message>
</>
</List>
</Response>
```

API Documents: Orders

Order Add Request

This is an example of the Order Add Request XML used in the API:

```
<?xml version="1.0" encoding="UTF-8"?>
<Request version="1.0">
  <Authentication>
    <Username><![CDATA[username]]></Username>
    <Password><![CDATA[password]]></Password>
```

```

    <StoreName><![CDATA[storename]]></StoreName>
    <XMLKey><![CDATA[xmlkey]]></XMLKey>
</Authentication>
<Action>ACTION_TYPE_ORDER_ADD</Action>
<List length="1">
  <Order>
    <CustomerId><![CDATA[123123j13j1l3j]]></CustomerId>
    <BillingAddress>
      <FirstName><![CDATA[Nikita]]></FirstName>
      <LastName><![CDATA[Makeyev]]></LastName>
      <Address1><![CDATA[145 SE Pkwy]]></Address1>
      <Address2><![CDATA[Suite 100]]></Address2>
      <City><![CDATA[Franklin]]></City>
      <State><![CDATA[TN]]></State>
      <Zip><![CDATA[37064]]></Zip>
      <Phone><![CDATA[615.790.0823]]></Phone>
      <Email><![CDATA[nikita.makeyev@sumeffect.com]]></Email>
      <Company><![CDATA[SumEffect Software Inc.]]></Company>
      <Fax><![CDATA[615.790.0824]]></Fax>
      <County><![CDATA[Williamson]]></County>
      <Country><![CDATA[US]]></Country>
    </BillingAddress>
    <ShippingAddress>
      <FirstName><![CDATA[Matt]]></FirstName>
      <LastName><![CDATA[Rathbun]]></LastName>
      <Address1><![CDATA[144 SE Pkwy]]></Address1>
      <Address2><![CDATA[Suite 260]]></Address2>
      <City><![CDATA[Poplar Bluff]]></City>
      <State><![CDATA[MO]]></State>
      <Zip><![CDATA[63901]]></Zip>
      <Email><![CDATA[nikitamakeyev@gmail.com]]></Email>
      <Company><![CDATA[Banana Intl.]]></Company>
      <County><![CDATA[Davidson]]></County>
      <Country><![CDATA[US]]></Country>
    </ShippingAddress>
    <ShippingService><![CDATA[UPS]]></ShippingService>
    <ShippingMethod><![CDATA[Ground]]></ShippingMethod>
    <ShippingWeight>
      <Amount>10</Amount>
      <Units>Weight Units</Units>
    </ShippingWeight>
    <Taxes>
      <Tax>
        <Type>Tax Types</Type>
        <Amount>1.23</Amount>
      </Tax>
    </Taxes>
  </Order>
</List length="1">

```

```

    </Tax>
  </Taxes>
  <Discount>
    <Amount>5.1</Amount>
  </Discount>
  <ShippingAndHandling>
    <Amount>5.66</Amount>
  </ShippingAndHandling>
  <Status>Order Statuses</Status>
  <ShippingDate>
    <UnixTimeStamp>1291217994</UnixTimeStamp>
  </ShippingDate>
  <TrackingElements length="2">
    <TrackingElement>
      <Number><![CDATA[1ZY213380349564185]]></Number>
      <Service><![CDATA[UPS]]></Service>
      <Method><![CDATA[Second Day Air]]></Method>
      <Cost>
        <Amount>3.50</Amount>
      </Cost>
    </TrackingElement>
    <TrackingElement>
      <Number><![CDATA[EC650055082US]]></Number>
      <Service><![CDATA[USPS]]></Service>
      <Method><![CDATA[Express]]></Method>
      <Cost>
        <Amount>1.10</Amount>
      </Cost>
    </TrackingElement>
  </TrackingElements>
  <Memo><![CDATA[My order memo]]></Memo>
  <Note><![CDATA[My order note]]></Note>
  <NoteToCustomer><![CDATA[My order note to customer]]></NoteToCustomer>
  <CouponCode><![CDATA[Test]]></CouponCode>
  <GiftCertificateCode>GCD14BBCFAFEC513560CCE293</GiftCertificateCode>
  <ShippingInstructions><![CDATA[Leave on the back porch. Thank
you!]]></ShippingInstructions>
  <Items>
    <Item>
      <ProductId>4</ProductId>
      <Quantity>2</Quantity>
      <Personalizations>
        <Personalization id="4">
          <AnswerId>1</AnswerId>
        </Personalization>
      </Personalizations>
    </Item>
  </Items>

```

```

    <Personalization id="7">
      <AnswerValue><![CDATA[Blue]]></AnswerValue>
    </Personalization>
  </Personalizations>
</OptionSet id="5" />
<ProductFiles>
  <ProductFile>
    <Name><![CDATA[dog.jpg]]></Name>
    <Extension>jpg</Extension>
    <Data>...</Data>
  </ProductFile>
  <ProductFile>
    <Name><![CDATA[cat.gif]]></Name>
    <Extension>gif</Extension>
    <Data>...</Data>
  </ProductFile>
</ProductFiles>
</Item>
</Items>
<Payment>
  <PaymentMethod>Payment Method Types</PaymentMethod>
  <Number><![CDATA[44444xxxxx444444]]></Number>
  <Expiration>
    <UnixTimeStamp>1356933600</UnixTimeStamp>
  </Expiration>
  <Type>Visa</Type>

```

```
<![CDATA[790]]>
```

```

  <Name><![CDATA[Nikita Makeyev]]></Name>
  <Start>
    <UnixTimeStamp>1285909200</UnixTimeStamp>
  </Start>
  <IssueNumber><![CDATA[12345]]></IssueNumber>
</Payment>
<Affiliates>
  <Affiliate id="1" />
  <Affiliate id="2" />
</Affiliates>
<!-- <Affiliate id="2" /> Deprecated -->
<PricingGroup>
  <Name><![CDATA[Thug]]></Name>
  <Location id="2" />
  <ShipDate>
    <UnixTimeStamp>1235149553</UnixTimeStamp>

```



```

</ShipDate>
</PricingGroup>
<CustomFields>
  <CustomField id="1">
    <Name><![CDATA[Age]]></Name>
    <Value><![CDATA[24]]></Value>
    <DisplayOn>Custom Field Display On Types</DisplayOn>
  </CustomField>
  <CustomField id="5">
    <Name><![CDATA[Drink]]></Name>
    <Value><![CDATA[Tea]]></Value>
    <DisplayOn>Custom Field Display On Types</DisplayOn>
  </CustomField>
  <CustomField id="2">
    <Name><![CDATA[Fruits]]></Name>
    <Value><![CDATA[Banana]]></Value>
    <DisplayOn>Custom Field Display On Types</DisplayOn>
  </CustomField>
  <CustomField id="2">
    <Name><![CDATA[Fruits]]></Name>
    <Value><![CDATA[Papaya]]></Value>
    <DisplayOn>Custom Field Display On Types</DisplayOn>
  </CustomField>
  <CustomField id="2">
    <Name><![CDATA[Fruits]]></Name>
    <Value><![CDATA[Pear]]></Value>
    <DisplayOn>Custom Field Display On Types</DisplayOn>
  </CustomField>
  <CustomField id="3">
    <Name><![CDATA[Sports]]></Name>
    <Value><![CDATA[Soccer]]></Value>
    <DisplayOn>Custom Field Display On Types</DisplayOn>
  </CustomField>
  <CustomField id="3">
    <Name><![CDATA[Sports]]></Name>
    <Value><![CDATA[Basketball]]></Value>
    <DisplayOn>Custom Field Display On Types</DisplayOn>
  </CustomField>
  <CustomField id="4">
    <Name><![CDATA[Vegetable]]></Name>
    <Value><![CDATA[cucumber, tomato, potato]]></Value>
    <DisplayOn>Custom Field Display On Types</DisplayOn>
  </CustomField>
</CustomFields>
<CouponDiscount>

```

```
<Amount>2.1</Amount>
</CouponDiscount>
<KeywordTerm><![CDATA[My Keyword]]></KeywordTerm>
</Order>
</List>
</Request>
```

Order Add Response

This is an example of the Order Add Response XML used in the API:

```
<Response>
  <Action>ACTION_TYPE_ORDER_ADD</Action>
  <Status>SUCCESS_CODE</Status>
  <Code></Code>
  <Messages></Messages>
  <List length="1">
    <Order id="1291758056-249">
```

100

```
      <Message><![CDATA[]]></Message>
    </Order>
  </List>
</Response>
```

Order Edit Request

This is an example of the Order Edit Request XML used in the API:

```
<?xml version="1.0" encoding="utf-8"?>
<Request version="1.0">
  <Authentication>
    <Username><![CDATA[username]]></Username>
    <Password><![CDATA[password]]></Password>
    <StoreName><![CDATA[storename]]></StoreName>
    <XMLKey><![CDATA[xmlkey]]></XMLKey>
  </Authentication>
  <Action>ACTION_TYPE_ORDER_EDIT</Action>
  <List length="1">
    <Order id="1242744504-388">
      <CustomerId><![CDATA[123123j13j1l3j]]></CustomerId>
      <BillingAddress>
        <FirstName><![CDATA[Nikita]]></FirstName>
        <LastName><![CDATA[Makeyev]]></LastName>
        <Address1><![CDATA[145 SE Pkwy]]></Address1>
        <Address2><![CDATA[Suite 100]]></Address2>
        <City><![CDATA[Franklin]]></City>
        <State><![CDATA[TN]]></State>
        <Zip><![CDATA[37064]]></Zip>
        <Phone><![CDATA[615.790.0823]]></Phone>
        <Email><![CDATA[nikita.makeyev@sumeffect.com]]></Email>
        <Company><![CDATA[SumEffect Software Inc.]]></Company>
        <Fax><![CDATA[615.790.0824]]></Fax>
        <County><![CDATA[Williamson]]></County>
        <Country><![CDATA[US]]></Country>
      </BillingAddress>
      <ShippingAddress>
        <FirstName><![CDATA[Nikita]]></FirstName>
        <LastName><![CDATA[Makeyev]]></LastName>
        <Address1><![CDATA[145 SE Pkwy]]></Address1>
        <Address2><![CDATA[Suite 100]]></Address2>
        <City><![CDATA[Franklin]]></City>
        <State><![CDATA[TN]]></State>
        <Zip><![CDATA[37064]]></Zip>
        <Email><![CDATA[nikita.makeyev@sumeffect.com]]></Email>
        <Company><![CDATA[SumEffect Software Inc.]]></Company>
        <County><![CDATA[Williamson]]></County>
        <Country><![CDATA[US]]></Country>
      </ShippingAddress>
    </Order>
  </List>
</Request>
```

```

</ShippingAddress>
<ShippingService><![CDATA[UPS]]></ShippingService>
<ShippingMethod><![CDATA[Ground]]></ShippingMethod>
<ShippingWeight>
  <Amount>10</Amount>
  <Units>LBS</Units>
</ShippingWeight>
<!-- If you specify a tax node, we will use your specified taxes to update the order and remove
previous taxes -->
<Taxes>
  <Tax>
    <Type>Tax Types</Type>
    <Amount>1.23</Amount>
  </Tax>
</Taxes>
<Discount>
  <Amount>5.1</Amount>
</Discount>
<ShippingAndHandling>
  <Amount>5.66</Amount>
</ShippingAndHandling>
<Status>Order Statuses</Status>
<ShippingDate>
  <UnixTimeStamp>1235148507</UnixTimeStamp>
  <Day>20</Day>
  <Month>02</Month>
  <Year>2009</Year>
  <Hour>00</Hour>
  <Minute>00</Minute>
  <Second>00</Second>
</ShippingDate>
<!-- If you specify tracking elements, we will use your specified tracking info to update the
order and remove previous tracking info -->
<TrackingElements length="2">
  <TrackingElement>
    <Number><![CDATA[1ZY213380349564185]]></Number>
    <Service><![CDATA[UPS]]></Service>
    <Method><![CDATA[Second Day Air]]></Method>
    <Cost>
      <Amount>3.50</Amount>
    </Cost>
  </TrackingElement>
  <TrackingElement>
    <Number><![CDATA[EC650055082US]]></Number>
    <Service><![CDATA[USPS]]></Service>

```

```

    <Method><![CDATA[Express]]></Method>
    <Cost>
      <Amount>1.10</Amount>
    </Cost>
  </TrackingElement>
</TrackingElements>
<Memo><![CDATA[My order memo]]></Memo>
<Note><![CDATA[My order note]]></Note>
<NoteToCustomer><![CDATA[My order note to customer]]></NoteToCustomer>
<CouponCode><![CDATA[Test]]></CouponCode>
<GiftCertificateCode>GCD14BBCFAFEC513560CCE293</GiftCertificateCode>
<ShippingInstructions><![CDATA[Leave on the back porch. Thank
you!]]></ShippingInstructions>
<DAZzleExport>Boolean Types</DAZzleExport>
<Affiliates>
  <Affiliate id="1" />
  <Affiliate id="2" />
</Affiliates>
<CouponDiscount>
  <Amount>2.1</Amount>
</CouponDiscount>
<KeywordTerm><![CDATA[My Keyword]]></KeywordTerm>
<CreditCard>null</CreditCard>
</Order>
</List>
</Request>

```

Request Definitions

See Order List Response definitions in addition to the rules/elements below.

ShippingDate, Payment > Expiration, Payment > Start and PricingGroup > ShipDate nodes will all expect a unix timestamp value. If you send day, month, year, etc. values, they will not be used.

Element	Parent Chain	Attributes	Description
CreditCard	Request : List : Order		Optional element. If "null" is passed, the credit card number tied to this order will be deleted in CoreCommerce. If anything else is passed, this field will be ignored.

Order Edit Response

This is an example of the Order Edit Response XML used in the API:

```
<?xml version="1.0" encoding="UTF-8"?>
<Response>
  <Action>ACTION_TYPE_ORDER_EDIT</Action>
  <Status>Status Code List</Status>
  <List length="2">
    <Order id="1242744504-388">
      <Code>Code List</Code>
      <Message>Message List</Message>
    </Order>
    <Order id="1242336627-509">
      <Code>Code List</Code>
      <Message>Message List</Message>
    </Order>
  </List>
</Response>
```

Order List Request

This is an example of the Order List Response XML used in the API:

```
<?xml version="1.0" encoding="utf-8"?>
<Request version="1.0">
  <Authentication>
    <Username><![CDATA[username]]></Username>
    <Password><![CDATA[password]]></Password>
    <StoreName><![CDATA[storename]]></StoreName>
    <XmlKey><![CDATA[XMLKey]]></XmlKey>
  </Authentication>
  <Action>ACTION_TYPE_ORDER_LIST</Action>
  <Limit></Limit>
  <Skip></Skip>
  <SearchCriteria type="Search Criteria Type" matchAll="Search Criteria Match All">
    <OrderNumbers>
      <OrderNumber>1242744504-388</OrderNumber>
      <OrderNumber>1242336627-509</OrderNumber>
    </OrderNumbers>
    <Names>
      <Name type="Address Types">
        <First><![CDATA[John]]></First>
        <Last><![CDATA[Doe]]></Last>
      </Name>
      <Name type="Address Types">
        <First><![CDATA[Jane]]></First>
        <Last><![CDATA[Hermes]]></Last>
      </Name>
    </Names>
    <DateRanges>
      <DateRange>
        <From>Unix Timestamp</From>
        <To>Unix Timestamp</To>
      </DateRange>
      <DateRange>
        <From>Unix Timestamp</From>
        <To>Unix Timestamp</To>
      </DateRange>
    </DateRanges>
    <Statuses>
      <Status>Order Statuses</Status>
      <Status>Order Statuses</Status>
    </Statuses>
  </SearchCriteria>
</Request>
```



```
</Statuses>  
<LastModified type="After">  
  <Date>2015-11-03</Date>  
</LastModified>  
</SearchCriteria >  
</SearchCriteria> </Request>
```

Order List Response

This is an example of the Order List Response XML used in the API:

```
<?xml version="1.0" encoding="utf-8"?>
<Response>
  <Action>ACTION_TYPE_ORDER_LIST</Action>
  <Status>Status Code List</Status>
  <Code>Code List</Code>
  <Message>Message List</Message>
  <List length="1">
    <Order id="1">
      <Number>1235143235-379</Number>
      <CustomerId><![CDATA[121j321091j3lkj123]]></CustomerId>
      <BillingAddress>
        <FirstName><![CDATA[Nikita]]></FirstName>
        <LastName><![CDATA[Makeyev]]></LastName>
        <Address1><![CDATA[145 SE Pkwy]]></Address1>
        <Address2><![CDATA[Suite 100]]></Address2>
        <City><![CDATA[Franlin]]></City>
        <State><![CDATA[TN]]></State>
        <Zip><![CDATA[37064]]></Zip>
        <Email><![CDATA[nikita.makeyev@sumeffect.com]]></Email>
        <Company><![CDATA[SumEffect Software Inc.]]></Company>
        <County><![CDATA[Williamson]]></County>
        <Country><![CDATA[US]]></Country>
      </BillingAddress>
      <ShippingAddress>
        <FirstName><![CDATA[Nikita]]></FirstName>
        <LastName><![CDATA[Makeyev]]></LastName>
        <Address1><![CDATA[145 SE Pkwy]]></Address1>
        <Address2><![CDATA[Suite 100]]></Address2>
        <City><![CDATA[Franlin]]></City>
        <State><![CDATA[TN]]></State>
        <Zip><![CDATA[37064]]></Zip>
        <Email><![CDATA[nikita.makeyev@sumeffect.com]]></Email>
        <Company><![CDATA[SumEffect Software Inc.]]></Company>
        <County><![CDATA[Williamson]]></County>
        <Country><![CDATA[US]]></Country>
      </ShippingAddress>
      <Phone><![CDATA[615.790.0823]]></Phone>
      <Fax><![CDATA[615.790.0824]]></Fax>
      <IpAddress>127.0.0.1</IpAddress>
      <CustomFields length="3">
```

```

<CustomField id="1">
  <Name><![CDATA[Pepper]]></Name>
  <Value><![CDATA[1]]></Value>
  <DisplayOn>Custom Field Display On Types</DisplayOn>
</CustomField>
<CustomField id="2">
  <Name><![CDATA[Pepper]]></Name>
  <Value><![CDATA[2]]></Value>
  <DisplayOn>Custom Field Display On Types</DisplayOn>
</CustomField>
<CustomField id="3">
  <Name><![CDATA[Banana]]></Name>
  <Value><![CDATA[d]]></Value>
  <DisplayOn>Custom Field Display On Types</DisplayOn>
</CustomField>
</CustomFields>
<TransactionId>7e5eae2470e2570c2ab4929c67347db</TransactionId>
<ShippingService><![CDATA[UPS]]></ShippingService>
<ShippingMethod><![CDATA[Ground]]></ShippingMethod>
<TotalWeight>
  <Amount>15.5</Amount>
  <Units>Weight Units</Units>
</TotalWeight>
<ShippingWeight>
  <Amount>10</Amount>
  <Units>Weight Units</Units>
</ShippingWeight>
<Payment>
  <PaymentMethod>Payment Method Types</PaymentMethod>
  <Number><![CDATA[44444xxxxx444444]]></Number>
  <Expiration>
    <UnixTimeStamp>1235148607</UnixTimeStamp>
    <Day>01</Day>
    <Month>02</Month>
    <Year>2010</Year>
    <Hour>00</Hour>
    <Minute>00</Minute>
    <Second>00</Second>
  </Expiration>
  <Type>Visa</Type>
  <Name><![CDATA[Nikita Makeyev]]></Name>
  <Start>
    <UnixTimeStamp>1233148607</UnixTimeStamp>
    <Day>31</Day>
    <Month>12</Month>
  </Start>

```

```

    <Year>2007</Year>
    <Hour>00</Hour>
    <Minute>00</Minute>
    <Second>00</Second>
</Start>
<IssueNumber><![CDATA[12345]]></IssueNumber>
<RoutingNumber><![CDATA[000000000]]></RoutingNumber>
<CheckNumber><![CDATA[000]]></CheckNumber>
<AccountNumber><![CDATA[0000000000]]></AccountNumber>
<BankName><![CDATA[First Bank]]></BankName>
<NameOnAccount><![CDATA[John Doe]]></NameOnAccount>
<AccountType><![CDATA[Checking]]></AccountType>
</Payment>
<Items length="2">
  <Item>
    <Quantity>1</Quantity>
    <Sku><![CDATA[abc]]></Sku>
    <Vendor id="2"><![CDATA[Unfortunate Clothing Co]]></Vendor>
    <ProductId>5</ProductId>
    <Name><![CDATA[Malibu]]></Name>
    <Options length="2">
      <Option id="36">
        <Name><![CDATA[Color]]></Name>
        <Value><![CDATA[Blue]]></Value>
      </Option>
      <Option id="37">
        <Name><![CDATA[Smell]]></Name>
        <Value><![CDATA[Blueberry]]></Value>
      </Option>
    </Options>
    <Variants length="1">
      <Variant id="965" type="cart_extra_type_personalization">
        <Name>
          <![CDATA[ Sizes ]]>
        </Name>
        <Value>
          <![CDATA[ XXL ]]>
        </Value>
      </Variant>
    </Variants>
    <Status>Order Item Statuses</Status>
    <ShippedAmount>0</ShippedAmount>
    <Price>
      <Amount>1</Amount>
    </Price>
  </Item>
</Items>

```

```

<ExtraPrice>
  <Amount>0</Amount>
</ExtraPrice>
<Weight>
  <Amount>5</Amount>
  <Units>Weight Units</Units>
</Weight>
<Taxable>Boolean Types</Taxable>
<ProductCost>
  <Amount>0.5</Amount>
</ProductCost>
<OptionCost>
  <Amount>0.25</Amount>
</OptionCost>
<AddedToCart>
  <UnixTimeStamp>1235148953</UnixTimeStamp>
  <Day>01</Day>
  <Month>02</Month>
  <Year>2010</Year>
  <Hour>09</Hour>
  <Minute>15</Minute>
  <Second>03</Second>
</AddedToCart>
<ShipExempt>Boolean Types</ShipExempt>
<SubscriptionEligible>Boolean Types</SubscriptionEligible>
</Item>
<Item>
  <Quantity>2</Quantity>
  <Sku><![CDATA[def]]></Sku>
  <Vendor id="3"><![CDATA[Gravel Pit Productions]]></Vendor>
  <ProductId>6</ProductId>
  <Name><![CDATA[Test Product]]></Name>
  <Options length="2">
    <Option id="38">
      <Name><![CDATA[Size]]></Name>
      <Value><![CDATA[XL]]></Value>
    </Option>
    <Option id="39">
      <Name><![CDATA[Volume]]></Name>
      <Value><![CDATA[High]]></Value>
    </Option>
  </Options>
  <Variants length="0" />
  <Status>Order Item Statuses</Status>
  <ShippedAmount>1</ShippedAmount>

```

```

<Price>
  <Amount>50</Amount>
</Price>
<ExtraPrice>
  <Amount>16</Amount>
</ExtraPrice>
<Weight>
  <Amount>5</Amount>
  <Units>LBS</Units>
</Weight>
<Taxable>Boolean Types</Taxable>
<ProductCost>
  <Amount>0.5</Amount>
</ProductCost>
<OptionCost>
  <Amount>0.25</Amount>
</OptionCost>
<AddedToCart>
  <UnixTimeStamp>1235148953</UnixTimeStamp>
  <Day>01</Day>
  <Month>02</Month>
  <Year>2010</Year>
  <Hour>09</Hour>
  <Minute>15</Minute>
  <Second>03</Second>
</AddedToCart>
<ShipExempt>Boolean Types</ShipExempt>
<SubscriptionEligible>Boolean Types</SubscriptionEligible>
</Item>
</Items>
<SubTotal>
  <Amount>101</Amount>
</SubTotal>
<TaxRates length="1">
  <Tax>
    <Type>Tax Types</Type>
    <Amount>.5</Amount>
  </Tax>
</TaxRates>
<Discount>
  <Amount>5.1</Amount>
</Discount>
<ShippingAndHandling>
  <Amount>5.66</Amount>
</ShippingAndHandling>

```

```

<GrandTotal>
  <Amount>101.56</Amount>
</GrandTotal>
<Status>Order Statuses</Status>
<ShippingDate>
  <UnixTimeStamp>1235148507</UnixTimeStamp>
  <Day>20</Day>
  <Month>02</Month>
  <Year>2009</Year>
  <Hour>00</Hour>
  <Minute>00</Minute>
  <Second>00</Second>
</ShippingDate>
<TrackingElements length="2">
  <TrackingElement>
    <Number><![CDATA[1ZY213380349564185]]></Number>
    <Service><![CDATA[UPS]]></Service>
    <Method><![CDATA[Second Day Air]]></Method>
    <Cost>
      <Amount>0</Amount>
    </Cost>
  </TrackingElement>
  <TrackingElement>
    <Number><![CDATA[EC650055082US]]></Number>
    <Service><![CDATA[USPS]]></Service>
    <Method><![CDATA[Express]]></Method>
    <Cost>
      <Amount>1.1</Amount>
    </Cost>
  </TrackingElement>
</TrackingElements>
<Memo><![CDATA[My order memo]]></Memo>
<Note><![CDATA[My order note]]></Note>
<NoteToCustomer><![CDATA[My order note to customer]]></NoteToCustomer>
<UPSWorldShipExport>Boolean Types</UPSWorldShipExport>
<Affiliates length="1">
  <Affiliate id="1" code="myaffiliate">
    <ContactAddress>
      <FirstName><![CDATA[Boris]]></FirstName>
      <LastName><![CDATA[Voloseyev]]></LastName>
    </ContactAddress>
    <CommissionEarned>
      <Amount>5</Amount>
    </CommissionEarned>
  </Affiliate>

```

```

</Affiliates>
<CouponCode><![CDATA[Test]]></CouponCode>
<GiftCertificateCode>GCD14BBCFAFEC513560CCE293</GiftCertificateCode>
<ShippingInstructions><![CDATA[Leave on the back porch. Thank
you!]]></ShippingInstructions>
<HowHeardAbout><![CDATA[Work.]]></HowHeardAbout>
<GiftCertificateAmountPaid>
  <Amount>25</Amount>
</GiftCertificateAmountPaid>
<ShippingTaxable>Boolean Types</ShippingTaxable>
<OrderDate>
  <UnixTimeStamp>1235148953</UnixTimeStamp>
  <Day>01</Day>
  <Month>02</Month>
  <Year>2010</Year>
  <Hour>00</Hour>
  <Minute>00</Minute>
  <Second>00</Second>
</OrderDate>
<VatInclusive>Boolean Types</VatInclusive>
<RemoteHost>localhost</RemoteHost>
<Donation>
  <Amount>0</Amount>
</Donation>
<GoogleFulfillmentStatus>Google Fulfillment Order Statuses</GoogleFulfillmentStatus>
<GoogleFinancialStatus>Google Financial Order Statuses</GoogleFinancialStatus>
<ChargeAmount>
  <Amount>0</Amount>
</ChargeAmount>
<RefundAmount>
  <Amount>0</Amount>
</RefundAmount>
<RewardPointsEarned>1</RewardPointsEarned>
<HasBeenReturned>Boolean Types</HasBeenReturned>
<AdminFile>
  <Name><![CDATA[1235157621_file.jpg]]></Name>
  <Extension>jpg</Extension>

<Data>dGhpcyBpcyB0aGUgYmVzdCBmaWxllGV2ZXINCg0KSSBkb24ndCBrbm93IHdoYXQgSSB3
b3VsZCBk</Data>
</AdminFile>
<CreditAmount>
  <Amount>0</Amount>
</CreditAmount>
<RechargeRate>30</RechargeRate>

```



```

<RechargeType>Recharge Types</RechargeType>
<Parent>1235159560-186</Parent>
<PaymentDate>
  <UnixTimeStamp>1235149553</UnixTimeStamp>
  <Day>22</Day>
  <Month>02</Month>
  <Year>2010</Year>
  <Hour>00</Hour>
  <Minute>00</Minute>
  <Second>00</Second>
</PaymentDate>
<PaymentText><![CDATA[This is my payment text]]></PaymentText>
<StoneEdgeExported>Boolean Types</StoneEdgeExported>
<PaymentGatewayStatus>Payment Gateway Order Statuses</PaymentGatewayStatus>
<PaymentGatewayType>Payment Gateway Types</PaymentGatewayType>
<PointOfSale>Boolean Types</PointOfSale>
<Tendered>
  <Amount>0</Amount>
</Tendered>
<Change>
  <Amount>0</Amount>
</Change>
<PointOfSaleExported>Boolean Types</PointOfSaleExported>
<OrderCost>
  <Amount>0</Amount>
</OrderCost>
<Captured>
  <Amount>0</Amount>
</Captured>
<GatewayTransactionId2>123456asdf</GatewayTransactionId2>
<Reauthorized>Boolean Types</Reauthorized>
<FreightShipping>
  <Amount>0</Amount>
</FreightShipping>
<TaxCalculatedAfterDiscounts>Boolean Types</TaxCalculatedAfterDiscounts>
<QuickbooksId><![CDATA[zyx]]></QuickbooksId>
<QuickbooksSessionId><![CDATA[7a8b9c]]></QuickbooksSessionId>
<AdminAttention>Boolean Types</AdminAttention>
<PricingGroupLocation id="386">
  <Name><![CDATA[London]]></Name>
</PricingGroupLocation>
<PricingGroupShipDate>
  <UnixTimeStamp>1235149553</UnixTimeStamp>
  <Day>22</Day>
  <Month>02</Month>

```

```

    <Year>2010</Year>
    <Hour>00</Hour>
    <Minute>00</Minute>
    <Second>00</Second>
  </PricingGroupShipDate>
  <DAZzleExport>Boolean Types</DAZzleExport>
  <CustomerString><![CDATA[5gfkom5489jrgeiun65yijntrg89gfbiun]]></CustomerString>
  <KeywordTerm><![CDATA[Shopping Cart]]></KeywordTerm>
  <KeywordDescription><![CDATA[Google]]></KeywordDescription>
  <CouponDiscount>
    <Amount>2.1</Amount>
  </CouponDiscount>
</Order>
</List>
</Response>

```

Order List Sample API Script

Below is an example of the Order List API script:

```

<?php
//You must have PHP with CURL installed on your server for this example.
$url = ; //insert your store's connection URL between the quotation marks to the left. The connection
URL can be found in Settings > Store API
$goDaddy = false; //if your host is Go Daddy, replace 'false' with 'true' to the left.
$curlProxy = 0; //if you have to use a proxy for curl, specify it to the left
$username = ; //insert your API username. This can be found in Settings > Store API. This value
can not be blank.
$password = ; //insert your API password. This can be found in Settings > Store API. This value
can not be blank.
$storeName = ; //insert your API store name. This can be found in Settings > Store API. This value
can not be blank.
$key = ; //insert your API XML key. This can be found in Settings > Store API. This value can not
be blank.
$limit = 10; //limit this request to retrieve 10 categories by default. Change this value if you want to
get more/less categories at a time.
$skip = 0; //make the request ignore 0 categories when fetching the results. Change this value if
you want the API to skip more/less categories.

$curl = curl_init();
curl_setopt($curl, CURLOPT_URL, $url);

curl_setopt($curl, CURLOPT_HEADER, false);
curl_setopt($curl, CURLOPT_PORT, '443');
curl_setopt($curl, CURLOPT_SSL_VERIFYHOST, true);

```

```

curl_setopt($curl, CURLOPT_SSL_VERIFYPEER, false);
curl_setopt($curl, CURLOPT_USERAGENT, $_SERVER['HTTP_USER_AGENT']);
curl_setopt($curl, CURLOPT_RETURNTRANSFER, true);
curl_setopt($curl, CURLOPT_TIMEOUT, 30);
curl_setopt($curl, CURLOPT_SSLVERSION, CURL_SSLVERSION_TLSv1);

if($goDaddy === true){
curl_setopt($curl, CURLOPT_HTTPPROXYTUNNEL, TRUE);
curl_setopt($curl, CURLOPT_PROXYTYPE, CURLPROXY_HTTP);
if($curlProxy) {
curl_setopt($curl, CURLOPT_PROXY, $curlProxy);
}
curl_setopt($curl, CURLOPT_SSL_VERIFYPEER, FALSE);
}

$xml = '<?xml version="1.0" encoding="utf-8"?>
<Request version="1.0">
<Authentication>
<Username>' . $username . '</Username>
<Password>' . $password . '</Password>
<StoreName>' . $storeName . '</StoreName>
<XmlKey>' . $key . '</XmlKey>
</Authentication>
<Action>ACTION_TYPE_ORDER_LIST</Action>
<Limit>' . $limit . '</Limit>
<Skip>' . $skip . '</Skip>
<SearchCriteria type="Like">
<OrderNumbers />
<DateRanges />
<Names />
<Statuses />
</SearchCriteria>
</Request>';

curl_setopt($curl, CURLOPT_POSTFIELDS, $xml);

$response = curl_exec($curl);
if(false === $response){
$error = curl_error($curl);
$errno = curl_errno($curl);
print 'cURL error ' . $errno . ': ' . $err;
} else {
//print the response to screen and exit. $response contains the XML message received from the
API. The rest is up to you.
header("Expires: Mon, 30 Oct 1993 07:30:00 GMT");

```

```
header("Last-Modified:" . gmdate('D, d M Y H:i:s'). "GMT");
header("Cache-Control: no-cache, must-revalidate");
header("Pragma: no-cache");
header("Content-Type: text/xml; charset=utf-i");
print $response;
}
curl_close($curl);
```

NOTE: The following was added July 2015: curl_setopt(\$curl, CURLOPT_SSLVERSION, CURL_SSLVERSION_TLSv1);

Order Delete Request

```
<Request version="1.0">
  <Authentication>
    <Username><![CDATA[admin]]></Username>
    <Password><![CDATA[Password1!]]></Password>
    <StoreName><![CDATA[sumeffectsof224]]></StoreName>
    <XMLKey><![CDATA[123]]></XMLKey>
  </Authentication>
  <Action>ACTION_TYPE_ORDER_DELETE</Action>
  <List length="2">
    <Order orderNumber="1475046420-308" ></Order>
    <Order orderNumber="1475046365-761" ></Order>
  <Order orderNumber="1475045839-554" ></Order>
  </List>
</Request>
```

Order Delete Response

Response:

```
<?xml version="1.0" encoding="UTF-8"?>
<Response>
  <Action>ACTION_TYPE_ORDER_DELETE</Action>
  <Status>SUCCESS_CODE</Status>
  <Code>
  </Code>
  <Messages>
  </Messages>
  <List length="1">
    < id="">
      <Code>100</Code>
      <Message>
        <![CDATA[]]>
      </Message>
    </>
  </List>
</Response>
```

API Documents: Customers

Customer Add Request

This is an example of the Customer Add Request XML used in the API:

Request

```
<?xml version="1.0" encoding="utf-8"?>
<Request version="1.0">
  <Authentication>
    <Username></Username>
    <Password></Password>
    <StoreName></StoreName>
    <XMLKey></XMLKey>
  </Authentication>
  <Action>ACTION_TYPE_CUSTOMER_ADD</Action>
  <List length="2">
    <Customer>
      <BillingSameAsShipping>Boolean Types</BillingSameAsShipping>
      <Address>
        <Company><![CDATA[Matt's Cool Company]]></Company>
        <FirstName><![CDATA[Matt]]></FirstName>
        <LastName><![CDATA[Jones]]></LastName>
        <Address1><![CDATA[145 SE Parkway]]></Address1>
        <Address2><![CDATA[Ste 100]]></Address2>
        <City><![CDATA[Franklin]]></City>
        <State><![CDATA[TN]]></State>
        <Zip><![CDATA[37064-7829]]></Zip>
        <Country><![CDATA[US]]></Country>
        <County><![CDATA[Williamson]]></County>
        <Email><![CDATA[email@mystore.com]]></Email>
      </Address>
      <ShippingAddress>
        <Company><![CDATA[Matt's Cool Company]]></Company>
        <FirstName><![CDATA[Matt]]></FirstName>
        <LastName><![CDATA[Jones]]></LastName>
        <Address1><![CDATA[145 SE Parkway]]></Address1>
        <Address2><![CDATA[Ste 100]]></Address2>
        <City><![CDATA[Franklin]]></City>
```

```

<State><![CDATA[TN]]></State>
<Zip><![CDATA[37064-7829]]></Zip>
<Country><![CDATA[US]]></Country>
<County><![CDATA[Williamson]]></County>
<Email><![CDATA[email@mystore.com]]></Email>
</ShippingAddress>
<CustomerGroupId>5</CustomerGroupId>
<Phone><![CDATA[615-555-1212]]></Phone>
<Fax><![CDATA[615-555-1234]]></Fax>
<InternalNumber><![CDATA[123456]]></InternalNumber>
<HowHeardAbout><![CDATA[A friend]]></HowHeardAbout>
<Password><![CDATA[abc123]]></Password>
<PasswordHint><![CDATA[abc+3]]></PasswordHint>
<Memo><![CDATA[abc]]></Memo>
<WholesaleDiscount><![CDATA[10]]></WholesaleDiscount>
<TaxExempt>Boolean Types</TaxExempt>
<FreeShipping>Boolean Types</FreeShipping>
<StoneEdgeExported>Boolean Types</StoneEdgeExported>
<!--

```

For a custom field to be saved the id and name must match a custom field in the system.

-->

```

<CustomFields length="8">
  <CustomField id="62">
    <Name><![CDATA[Age]]></Name>
    <Value><![CDATA[23]]></Value>
  </CustomField>
  <CustomField id="63">
    <Name><![CDATA[Fruits]]></Name>
    <Value><![CDATA[Banana]]></Value>
  </CustomField>
  <CustomField id="63">
    <Name><![CDATA[Fruits]]></Name>
    <Value><![CDATA[Papaya]]></Value>
  </CustomField>
  <CustomField id="63">
    <Name><![CDATA[Fruits]]></Name>
    <Value><![CDATA[Pear]]></Value>
  </CustomField>
  <CustomField id="64">
    <Name><![CDATA[Height]]></Name>
    <Value><![CDATA[>=6']]></Value>
  </CustomField>
  <CustomField id="65">
    <Name><![CDATA[Sports]]></Name>
    <Value><![CDATA[Soccer]]></Value>

```

```

</CustomField>
<CustomField id="65">
  <Name><![CDATA[Sports]]></Name>
  <Value><![CDATA[Baseball]]></Value>
</CustomField>
<CustomField id="66">
  <Name><![CDATA[Vegetable]]></Name>
  <Value><![CDATA[Tomato
    yes]]></Value>
</CustomField>
</CustomFields>
<MailingLists length="2">
  <MailingList id="1" />
  <MailingList id="2" />
</MailingLists>
<Status>Customer Status List</Status>
<RewardPointModifications length="2">
  <RewardPointModification>
    <Amount><![CDATA[-15]]></Amount>
    <Reason><![CDATA[Customer returned $20 worth of groceries]]></Reason>
  </RewardPointModification>
  <RewardPointModification>
    <Amount><![CDATA[-25]]></Amount>
    <Reason><![CDATA[Customer returned $30 worth of groceries]]></Reason>
  </RewardPointModification>
</RewardPointModifications>
</Customer>
<Customer>
  <BillingSameAsShipping>Boolean Types</BillingSameAsShipping>
  <Address>
    <Company><![CDATA[]]></Company>
    <FirstName><![CDATA[Matt]]></FirstName>
    <LastName><![CDATA[DeLong]]></LastName>
    <Address1><![CDATA[144 SE Parkway]]></Address1>
    <Address2><![CDATA[Ste 260]]></Address2>
    <City><![CDATA[Franklin]]></City>
    <State><![CDATA[TN]]></State>
    <Zip><![CDATA[37064-7829]]></Zip>
    <Country><![CDATA[US]]></Country>
    <County><![CDATA[Williamson]]></County>
    <Email><![CDATA[Matt.DeLong@sumeffect.com]]></Email>
  </Address>
  <ShippingAddress>
    <Company><![CDATA[]]></Company>

```



```

    <FirstName><![CDATA[Matt]]></FirstName>
    <LastName><![CDATA[DeLong]]></LastName>
    <Address1><![CDATA[144 SE Parkway]]></Address1>
    <Address2><![CDATA[Ste 260]]></Address2>
    <City><![CDATA[Franklin]]></City>
    <State><![CDATA[TN]]></State>
    <Zip><![CDATA[37064-7829]]></Zip>
    <Country><![CDATA[US]]></Country>
    <County><![CDATA[Williamson]]></County>
    <Email><![CDATA[Matt.DeLong@sumeffect.com]]></Email>
</ShippingAddress>
<CustomerGroupId>5</CustomerGroupId>
<Phone><![CDATA[615-555-1212]]></Phone>
<Fax><![CDATA[615-555-1234]]></Fax>
<InternalNumber><![CDATA[789012]]></InternalNumber>
<HowHeardAbout><![CDATA[A friend]]></HowHeardAbout>
<Password><![CDATA[abc123]]></Password>
<PasswordHint><![CDATA[abc+3]]></PasswordHint>
<Memo><![CDATA[abc]]></Memo>
    <WholesaleDiscount><![CDATA[10]]></WholesaleDiscount>
    <TaxExempt>Boolean Types</TaxExempt>
    <FreeShipping>Boolean Types</FreeShipping>
    <StoneEdgeExported>Boolean Types</StoneEdgeExported>
    <CustomFields length="8">
        <CustomField id="62">
            <Name><![CDATA[Age]]></Name>
            <Value><![CDATA[24]]></Value>
        </CustomField>
        <CustomField id="63">
            <Name><![CDATA[Fruits]]></Name>
            <Value><![CDATA[Date]]></Value>
        </CustomField>
        <CustomField id="63">
            <Name><![CDATA[Fruits]]></Name>
            <Value><![CDATA[Orange]]></Value>
        </CustomField>
        <CustomField id="63">
            <Name><![CDATA[Fruits]]></Name>
            <Value><![CDATA[Kiwi]]></Value>
        </CustomField>
        <CustomField id="64">
            <Name><![CDATA[Height]]></Name>
            <Value><![CDATA[<6'></Value>
        </CustomField>
        <CustomField id="65">

```

```

        <Name><![CDATA[Sports]]></Name>
        <Value><![CDATA[Basketball]]></Value>
    </CustomField>
    <CustomField id="66">
        <Name><![CDATA[Vegetable]]></Name>
        <Value><![CDATA[Cucumber
            no]]></Value>
    </CustomField>
</CustomFields>
<MailingLists length="2">
    <MailingList id="5" />
    <MailingList id="3" />
</MailingLists>
<Status>Customer Status List</Status>
<RewardPointModifications length="2">
    <RewardPointModification>
        <Amount><![CDATA[15]]></Amount>
        <Reason><![CDATA[Customer purchased $20 worth of groceries]]></Reason>
    </RewardPointModification>
    <RewardPointModification>
        <Amount><![CDATA[25]]></Amount>
        <Reason><![CDATA[Customer purchased $30 worth of groceries]]></Reason>
    </RewardPointModification>
</RewardPointModifications>
</Customer>
</List>
</Request>

```

Customer Add Response

Below is the sample response to the request above. The customer nodes are returned in the exact same order they were sent to us.

```

<?xml version="1.0" encoding="utf-8"?>
<Response>
    <Action>ACTION_TYPE_CUSTOMER_ADD</Action>
    <Status>SUCCESS_CODE</Status>
    <Code />
    <Messages />
    <List length="2">
        <Customer id="5">
            <Code>100</Code>

```

```
<Message></Message>
</Customer>
<Customer id="6">
  <Code>100</Code>
  <Message></Message>
</Customer>
</List>
</Response>
```

Customer Edit Request

This is an example of the Customer Edit Request/Response XML used in the API:

```
<?xml version="1.0" encoding="utf-8"?>
<Request version="1.0">
  <Authentication>
    <Username></Username>
    <Password></Password>
    <StoreName></StoreName>
    <XMLKey></XMLKey>
  </Authentication>
  <Action>ACTION_TYPE_CUSTOMER_EDIT</Action>
  <List length="2">
    <Customer id="5">
      <CustomerString><![CDATA[5gfkom5489jrgeiun65yijntrg89gfbiun]]></CustomerString>
      <BillingSameAsShipping>Boolean Types</BillingSameAsShipping>
      <Address>
        <Company><![CDATA[Matt]]></Company>
        <FirstName><![CDATA[Matt]]></FirstName>
        <LastName><![CDATA[Jones]]></LastName>
        <Address1><![CDATA[145 SE Parkway]]></Address1>
        <Address2><![CDATA[Ste 100]]></Address2>
        <City><![CDATA[Franklin]]></City>
        <State><![CDATA[TN]]></State>
        <Zip><![CDATA[37064-7829]]></Zip>
        <Country><![CDATA[US]]></Country>
        <County><![CDATA[Williamson]]></County>
        <Email><![CDATA[email@mystore.com]]></Email>
      </Address>
      <ShippingAddress>
        <Company><![CDATA[Matt]]></Company>
        <FirstName><![CDATA[Matt]]></FirstName>
        <LastName><![CDATA[Jones]]></LastName>
        <Address1><![CDATA[145 SE Parkway]]></Address1>
        <Address2><![CDATA[Ste 100]]></Address2>
        <City><![CDATA[Franklin]]></City>
        <State><![CDATA[TN]]></State>
        <Zip><![CDATA[37064-7829]]></Zip>
        <Country><![CDATA[US]]></Country>
        <County><![CDATA[Williamson]]></County>
        <Email><![CDATA[email@mystore.com]]></Email>
      </ShippingAddress>
    </Customer id="5">
  </List length="2">
</Request version="1.0">
```

```

</ShippingAddress>
<CustomerId>5</CustomerId>
<Phone><![CDATA[615-555-1212]]></Phone>
<Fax><![CDATA[615-555-1234]]></Fax>
<InternalNumber><![CDATA[123456]]></InternalNumber>
<HowHeardAbout><![CDATA[A friend]]></HowHeardAbout>
<Password><![CDATA[abc123]]></Password>
<PasswordHint><![CDATA[abc+3]]></PasswordHint>
<Memo><![CDATA[abc]]></Memo>
<DateCreated [READ-ONLY]>
  <UnixTimeStamp>1235156691</UnixTimeStamp>
  <Day>20</Day>
  <Month>02</Month>
  <Year>2009</Year>
  <Hour>13</Hour>
  <Minute>22</Minute>
  <Second>36</Second>
</DateCreated>
<LastUpdated [READ-ONLY]>
  <UnixTimeStamp>1235156691</UnixTimeStamp>
  <Day>20</Day>
  <Month>02</Month>
  <Year>2009</Year>
  <Hour>13</Hour>
  <Minute>22</Minute>
  <Second>36</Second>
</LastUpdated>
<WholesaleDiscount><![CDATA[10]]></WholesaleDiscount>
<TaxExempt>Boolean Types</TaxExempt>
<FreeShipping>Boolean Types</FreeShipping>
<QuickbooksID [READ-ONLY]><![CDATA[12345]]></QuickbooksID>
<QuickbooksExportID [READ-ONLY]><![CDATA[12345]]></QuickbooksExportID>
<StoneEdgeExported>Boolean Types</StoneEdgeExported>
<!--

```

All custom fields will first be flushed if you specify any custom field values. For a custom field to be saved the id and name must match a custom field in the system.

```
-->
```

```

<CustomFields length="8">
  <CustomField id="62">
    <Name><![CDATA[Age]]></Name>
    <Value><![CDATA[23]]></Value>
  </CustomField>
  <CustomField id="63">

```

```

    <Name><![CDATA[Fruits]]></Name>
    <Value><![CDATA[Banana]]></Value>
</CustomField>
<CustomField id="64">
    <Name><![CDATA[Fruits]]></Name>
    <Value><![CDATA[Papaya]]></Value>
</CustomField>
<CustomField id="65">
    <Name><![CDATA[Fruits]]></Name>
    <Value><![CDATA[Pear]]></Value>
</CustomField>
<CustomField id="66">
    <Name><![CDATA[Height]]></Name>
    <Value><![CDATA[>=6']]></Value>
</CustomField>
<CustomField id="67">
    <Name><![CDATA[Sports]]></Name>
    <Value><![CDATA[Soccer]]></Value>
</CustomField>
<CustomField id="68">
    <Name><![CDATA[Sports]]></Name>
    <Value><![CDATA[Baseball]]></Value>
</CustomField>
<CustomField id="69">
    <Name><![CDATA[Vegetable]]></Name>
    <Value><![CDATA[Tomato
    yes]]></Value>
</CustomField>
</CustomFields>
<MailingLists length="2">
    <MailingList id="1" />
    <MailingList id="2" />
</MailingLists>
<Status>Customer Status List</Status>
<RewardPointModifications length="2">
    <RewardPointModification>
        <Amount><![CDATA[-15]]></Amount>
        <Reason><![CDATA[Customer returned $20 worth of groceries]]></Reason>
    </RewardPointModification>
    <RewardPointModification>
        <Amount><![CDATA[-25]]></Amount>
        <Reason><![CDATA[Customer returned $30 worth of groceries]]></Reason>

```

```

    </RewardPointModification>
  </RewardPointModifications>
</Customer>
<Customer id="6">
  <CustomerString><![CDATA[iun65yijntrg89gfbun5gfkom5489jrge]]></CustomerString>
  <BillingSameAsShipping>TRUE_VALUE/FALSE_VALUE</BillingSameAsShipping>
  <Address>
    <Company><![CDATA[]]></Company>
    <FirstName><![CDATA[Matt]]></FirstName>
    <LastName><![CDATA[DeLong]]></LastName>
    <Address1><![CDATA[145 SE Parkway]]></Address1>
    <Address2><![CDATA[Ste 100]]></Address2>
    <City><![CDATA[Franklin]]></City>
    <State><![CDATA[TN]]></State>
    <Zip><![CDATA[37064-7829]]></Zip>
    <Country><![CDATA[US]]></Country>
    <County><![CDATA[Williamson]]></County>
    <Email><![CDATA[Matt.DeLong@sumeffect.com]]></Email>
  </Address>
  <ShippingAddress>
    <Company><![CDATA[]]></Company>
    <FirstName><![CDATA[Matt]]></FirstName>
    <LastName><![CDATA[DeLong]]></LastName>
    <Address1><![CDATA[145 SE Parkway]]></Address1>
    <Address2><![CDATA[Ste 100]]></Address2>
    <City><![CDATA[Franklin]]></City>
    <State><![CDATA[TN]]></State>
    <Zip><![CDATA[37064-7829]]></Zip>
    <Country><![CDATA[US]]></Country>
    <County><![CDATA[Williamson]]></County>
    <Email><![CDATA[Matt.DeLong@sumeffect.com]]></Email>
  </ShippingAddress>
  <CustomerGroupId>5</CustomerGroupId>
  <Phone><![CDATA[615-555-1212]]></Phone>
  <Fax><![CDATA[615-555-1234]]></Fax>
  <InternalNumber><![CDATA[789012]]></InternalNumber>
  <HowHeardAbout><![CDATA[A friend]]></HowHeardAbout>
  <Password><![CDATA[abc123]]></Password>
  <PasswordHint><![CDATA[abc+3]]></PasswordHint>
  <Memo><![CDATA[abc]]></Memo>
  <DateCreated [READ-ONLY]>
    <UnixTimeStamp>1235156691</UnixTimeStamp>
    <Day>20</Day>

```

```

    <Month>02</Month>
    <Year>2009</Year>
    <Hour>13</Hour>
    <Minute>22</Minute>
    <Second>36</Second>
</DateCreated>
<LastUpdated [READ-ONLY]>
    <UnixTimeStamp>1235156691</UnixTimeStamp>
    <Day>20</Day>
    <Month>02</Month>
    <Year>2009</Year>
    <Hour>13</Hour>
    <Minute>22</Minute>
    <Second>36</Second>
</LastUpdated>
<WholesaleDiscount><![CDATA[10]]></WholesaleDiscount>
<TaxExempt>Boolean Types</TaxExempt>
<FreeShipping>Boolean Types</FreeShipping>
<QuickbooksID [READ-ONLY]><![CDATA[123456]]></QuickbooksID>
<QuickbooksExportID [READ-ONLY]><![CDATA[123456]]></QuickbooksExportID>
<StoneEdgeExported>Boolean Types</StoneEdgeExported>
<CustomFields length="8">
    <CustomField id="62">
        <Name><![CDATA[Age]]></Name>
        <Value><![CDATA[24]]></Value>
    </CustomField>
    <CustomField id="63">
        <Name><![CDATA[Fruits]]></Name>
        <Value><![CDATA[Date]]></Value>
    </CustomField>
    <CustomField id="64">
        <Name><![CDATA[Fruits]]></Name>
        <Value><![CDATA[Orange]]></Value>
    </CustomField>
    <CustomField id="65">
        <Name><![CDATA[Fruits]]></Name>
        <Value><![CDATA[Kiwi]]></Value>
    </CustomField>
    <CustomField id="66">
        <Name><![CDATA[Height]]></Name>
        <Value><![CDATA[<6'']]></Value>
    </CustomField>
    <CustomField id="67">

```



```

        <Name><![CDATA[Sports]]></Name>
        <Value><![CDATA[Basketball]]></Value>
    </CustomField>
    <CustomField id="69">
        <Name><![CDATA[Vegetable]]></Name>
        <Value><![CDATA[Cucumber
            no]]></Value>
    </CustomField>
</CustomFields>
<MailingLists length="2">
    <MailingList id="5" />
    <MailingList id="3" />
</MailingLists>
<Status>Customer Status List</Status>
<RewardPointModifications length="2">
    <RewardPointModification>
        <Amount><![CDATA[15]]></Amount>
        <Reason><![CDATA[Customer purchased $20 worth of groceries]]></Reason>
    </RewardPointModification>
    <RewardPointModification>
        <Amount><![CDATA[25]]></Amount>
        <Reason><![CDATA[Customer purchased $30 worth of groceries]]></Reason>
    </RewardPointModification>
</RewardPointModifications>
</Customer>
</List>
</Request>

```

Customer Edit Response

Below is the sample response to the request above. The customer nodes are returned in the exact same order they were sent to us.

```

<?xml version="1.0" encoding="utf-8"?>
<Response>
    <Action>ACTION_TYPE_CUSTOMER_EDIT</Action>
    <Status>SUCCESS_CODE</Status>
    <Code />
    <Messages />
    <List length="2">

```

```
<Customer id="5">
  <Code>100</Code>
  <Message></Message>
</Customer>
<Customer id="6">
  <Code>100</Code>
  <Message></Message>
</Customer>
</List>
</Response>
```

Customer List Request

This is an example of the Customer List Request XML used in the API:

Request

Below is a sample list request showing a search for a customer based on the billing/shipping name:

```
<?xml version="1.0" encoding="utf-8"?>
<Request version="1.0">
  <Authentication>
    <Username></Username>
    <Password></Password>
    <StoreName></StoreName>
    <XmlKey></XmlKey>
  </Authentication>
  <Action>ACTION_TYPE_CUSTOMER_LIST</Action>
  <Limit>1</Limit>
  <Skip></Skip>
  <SearchCriteria type="Search Criteria Type">
    <Names>
      <Name type="Address Types">
        <First>Jack</First>
        <Last>Shepherd</Last>
      </Name>
      <Name type="Address Types">
        <First>Kate</First>
        <Last>Austen</Last>
      </Name>
    </Names>
    <Ids>
      <Id>3</Id>
    </Ids>
    <CustomerStrings>
      <CustomerString><![CDATA[5gfkom5489jrgeiun65yijntrg89gfbiun]]></CustomerString>
    </CustomerStrings>
    <Emails>
      <Email><![CDATA[test@tester.com]]></Email>
    </Emails>
  </SearchCriteria>
</Request>
```

Customer List Response

Below is a sample response to the customer list request (above).

```
<?xml version="1.0" encoding="utf-8"?>
<Response>
  <Status>Status Code List</Status>
  <Code>Code List</Code>
  <Message>Message List</Message>
  <List length="1" possibleLength="100">
    <Customer id="5">
      <CustomerString><![CDATA[5gfkom5489jrgeiun65yijntrg89gfbun]]></CustomerString>
      <BillingSameAsShipping>Boolean Types</BillingSameAsShipping>
      <Address>
        <Company><![CDATA[Lost & Found Inc.]]></Company>
        <FirstName><![CDATA[Jack]]></FirstName>
        <LastName><![CDATA[Shepherd]]></LastName>
        <Address1><![CDATA[144 SE Parkway]]></Address1>
        <Address2><![CDATA[Ste 260]]></Address2>
        <City><![CDATA[Franklin]]></City>
        <State><![CDATA[TN]]></State>
        <Zip><![CDATA[37064-7829]]></Zip>
        <Country><![CDATA[US]]></Country>
        <County><![CDATA[Williamson]]></County>
        <Email><![CDATA[jack.shepherd@lostandfound.com]]></Email>
      </Address>
      <ShippingAddress>
        <Company><![CDATA[Lost & Found Inc.]]></Company>
        <FirstName><![CDATA[Kate]]></FirstName>
        <LastName><![CDATA[Austen]]></LastName>
        <Address1><![CDATA[144 SE Parkway]]></Address1>
        <Address2><![CDATA[Suite 260]]></Address2>
        <City><![CDATA[Franklin]]></City>
        <State><![CDATA[TN]]></State>
        <Zip><![CDATA[37064-7829]]></Zip>
        <Country><![CDATA[US]]></Country>
        <County><![CDATA[Williamson]]></County>
        <Email><![CDATA[kate.austen@lostandfound.com]]></Email>
      </ShippingAddress>
      <CustomerGroupId>5</CustomerGroupId>
      <Phone><![CDATA[615-555-1212]]></Phone>
      <Fax><![CDATA[615-555-1234]]></Fax>
    </Customer id="5">
  </List length="1" possibleLength="100">
</Response>
```

```

<InternalNumber><![CDATA[4x8y15z16a23b42]]></InternalNumber>
<HowHeardAbout><![CDATA[Our friend Jacob]]></HowHeardAbout>
<Password><![CDATA[abc123]]></Password>
<PasswordHint><![CDATA[abc+3]]></PasswordHint>
<Memo><![CDATA[Don't forget to include the first aid kit.]]></Memo>
<Created>
  <UnixTimeStamp>1235156691</UnixTimeStamp>
  <Day>20</Day>
  <Month>02</Month>
  <Year>2009</Year>
  <Hour>13</Hour>
  <Minute>04</Minute>
  <Second>51</Second>
</Created>
<LastUpdated>
  <UnixTimeStamp>1257793665</UnixTimeStamp>
  <Day>09</Day>
  <Month>11</Month>
  <Year>2009</Year>
  <Hour>13</Hour>
  <Minute>07</Minute>
  <Second>45</Second>
</LastUpdated>
<WholesaleDiscount><![CDATA[10]]></WholesaleDiscount>
<TaxExempt>Boolean Types</TaxExempt>
<FreeShipping>Boolean Types</FreeShipping>
<QuickbooksId><![CDATA[12345]]></QuickbooksId>
<QuickbooksExportId><![CDATA[12345]]></QuickbooksExportId>
<StoneEdgeExported>Boolean Types</StoneEdgeExported>
<RemoteCountry>US</RemoteCountry>
<CustomFields length="8">
  <CustomField id="62">
    <Name><![CDATA[Age]]></Name>
    <Value><![CDATA[23]]></Value>
  </CustomField>
  <CustomField id="63">
    <Name><![CDATA[Fruits]]></Name>
    <Value><![CDATA[Banana]]></Value>
  </CustomField>
  <CustomField id="64">
    <Name><![CDATA[Fruits]]></Name>
    <Value><![CDATA[Papaya]]></Value>
  </CustomField>
  <CustomField id="65">
    <Name><![CDATA[Fruits]]></Name>

```

```

    <Value><![CDATA[Pear]]></Value>
  </CustomField>
  <CustomField id="66">
    <Name><![CDATA[Height]]></Name>
    <Value><![CDATA[>6']]></Value>
  </CustomField>
  <CustomField id="67">
    <Name><![CDATA[Sports]]></Name>
    <Value><![CDATA[Soccer]]></Value>
  </CustomField>
  <CustomField id="68">
    <Name><![CDATA[Sports]]></Name>
    <Value><![CDATA[Baseball]]></Value>
  </CustomField>
  <CustomField id="69">
    <Name><![CDATA[Vegetable]]></Name>
    <Value><![CDATA[Tomato
    yes]]></Value>
  </CustomField>
</CustomFields>
<MailingLists length="2">
  <MailingList id="1">
    <Name><![CDATA[Beta Internal]]></Name>
    <PublicName><![CDATA[Beta Public]]></PublicName>
  </MailingList>
  <MailingList id="2">
    <Name><![CDATA[Default]]></Name>
    <PublicName><![CDATA[]]></PublicName>
  </MailingList>
</MailingLists>
<Status>Customer Status List</Status>
<RewardPoints><![CDATA[15]]></RewardPoints>
<ReferAFriendCustomer id="2"></ReferAFriendCustomer>
</Customer>
</List>
</Response>

```

Customer Delete Request

```

<Request version="1.0">
  <Authentication>
    <Username><![CDATA[admin]]></Username>
    <Password><![CDATA[Password1!]]></Password>

```

```
<StoreName><![CDATA[sumeffectsof224]]></StoreName>
  <XMLKey><![CDATA[123]]></XMLKey>
</Authentication>
<Action>ACTION_TYPE_CUSTOMER_DELETE</Action>
<List length="2">
  <Customer cString="9be701ff4e04ade2989bfd135fae1ad1" ></Customer>
  <Customer email="sindyeker@hotmail.com" ></Customer>
</List>
</Request>
```

Customer Delete Response

Response:

```
<?xml version="1.0" encoding="UTF-8"?>
<Response>
  <Action>ACTION_TYPE_CUSTOMER_DELETE</Action>
  <Status>SUCCESS_CODE</Status>
  <Code>
  </Code>
  <Messages>
  </Messages>
  <List length="1">
    < id="">
      <Code>100</Code>
      <Message>
      <![CDATA[]]>
      </Message>
    </>
  </List>
</Response>
```

Version History

1.2 : *Added: Category Add Request/Response*

Added: Support for Customer Group ID and NAME to assign a customer group inside Customer Add Request and Customer Edit Request

1.3: *Added: Category Add Request/Response*

Added: Support for Customer Group ID and NAME to assign a customer group inside Customer Add Request and Customer Edit Request

1.4: *Added: Category Add Request/Response, Product Add Request/Product Add Response*

Added: Support for Customer Group ID and NAME to assign a customer group inside Customer Add Request and Customer Edit Request

1.5: *Added: Category Edit Request/Response*

1.6: *Added: <copyPhoto> was added to the Product Add and Product Edit Response. A TRUE_VALUE will allow the CoreCommerce API to take your photo URL, and physically copy it into the store images directory, so you can use a real hard image, vs. an image URL. This comes in handy when you have an image in a CDN or cloud where you are unable to download them.*